

An Exhaustive Examination of the Motor System's Reliability in Electric Vehicles

Dhanush Roy¹, Chin Chun Kumar²

¹ Hindustan University

² Anna University

Funding: No specific funding was received for this work.

Potential competing interests: No potential competing interests to declare.

Abstract

Due to their unique zero carbon emission feature, electric vehicles (EVs) have garnered increasing interest in recent years. However, concerns persist regarding their reliability, particularly concerning critical components. Efforts have been made to assess the reliability of drive motors in EVs. Yet, given the integration of drive motors and motor controllers as a single system in EVs, a combined assessment is essential for a more accurate reliability prediction. Additionally, considering the multiple components within both drive motors and motor controllers, their structure, type, and characteristics may influence the overall reliability of the motor system, a factor overlooked in previous research. To bridge this knowledge gap, this study investigates the reliability of the entire motor system in pure electric vans, encompassing both drive motors and motor controllers. The research begins with predicting the theoretical failure rates of subassemblies and components within the drive motor and motor controller. Subsequently, based on these predictions, the reliability of the entire motor system is assessed. The findings highlight vulnerable subassemblies and components within the motor system, shedding light on potential shortcomings in existing reliability research. These new insights are deemed crucial for informing future reliability design and maintenance practices for pure electric vans. This study undertakes an exhaustive investigation into the reliability of the motor system in EVs. As EVs gain prominence for their environmental benefits and increasing market share, concerns regarding the reliability of critical components, such as the drive motor and associated control systems, become paramount. While prior research has addressed component-level reliability, this study takes a holistic approach by assessing the entire motor system. Through theoretical modeling and empirical analysis, the study predicts failure rates of subassemblies and components within the drive motor and control systems, culminating in an evaluation of the overall motor system reliability. By uncovering vulnerabilities and potential areas for improvement, this research offers valuable insights to advance the design, development, and maintenance of reliable electric vehicles.

1. Introduction

Driven by financial incentives and policy support, the global electric vehicle (EV) market is experiencing rapid growth. Notably, China, the UK, the United States, and Germany lead in the sales of pure electric vehicles, with China alone

selling 984,000 units in 2018, marking a 50.8% increase from the previous year [1], [2]. With the anticipation that pure electric vehicles will eventually replace traditional diesel and petrol vehicles, there is heightened focus on their reliability. While passenger cars dominate the market, commercial vehicles, particularly pure electric vans, face unique reliability challenges, yet have received limited attention in literature [3]. Consequently, this paper aims to investigate the reliability of pure electric vans, given their significant presence in the commercial vehicle sector. The motor system plays a pivotal role in pure electric vans, converting electric energy into mechanical energy for propulsion [4], [5]. Reliability issues within this system pose serious safety risks, necessitating thorough investigation and improvement. While prior research primarily focuses on enhancing control and fault tolerance, overlooking the integrated nature of the drive motor and motor controller may yield incomplete conclusions [6]. Thus, this study aims to address this gap by comprehensively examining the reliability of all subassemblies and components within both the drive motor and motor controller. By utilizing fault tree analysis, a proven methodology for reliability assessment, this research endeavors to provide valuable insights to enhance the reliability of electric vehicle motor systems [7].

The reliability of the motor system in electric vehicles is extensive and encompasses various facets of research and development [8]. Numerous studies have explored different aspects of the motor system's reliability, recognizing its pivotal role in the performance and safety of EVs. One notable area of focus has been on assessing the reliability of individual components within the motor system, such as the drive motor and motor controller [9]. Researchers have employed various methodologies, including fault tree analysis and Monte Carlo simulations, to identify potential failure modes and improve the fault tolerance of these components. Furthermore, there is a growing body of literature that emphasizes the importance of considering the integrated nature of the drive motor and motor controller as a single system in reliability assessments. Unlike traditional vehicles, where these components may operate independently, in EVs, they are tightly coupled and must function seamlessly together [10], [11]. Consequently, studies have increasingly adopted a holistic approach to reliability analysis, recognizing that the reliability of the entire motor system is contingent on the performance of both the drive motor and motor controller [12].

Moreover, researchers have delved into the reliability challenges specific to different types of electric vehicles, including passenger cars and commercial vehicles. While passenger cars dominate the EV market, commercial vehicles, such as vans, present distinct reliability concerns due to their unique operating conditions and higher usage demands [13]. As such, literature has emerged focusing specifically on addressing reliability issues in commercial EVs, particularly in the context of pure electric vans where the motor system's reliability is of utmost importance for operational efficiency and safety [14]. The reliability of the motor system in electric vehicles reflects a multidisciplinary approach, drawing from fields such as engineering, automotive technology, and reliability analysis [15]. Through comprehensive research and analysis, scholars aim to advance our understanding of the reliability challenges inherent in EV motor systems and develop strategies to enhance their performance, safety, and longevity in real-world applications.

2. Reliability of Energy Storage system

The Battery Energy Storage station is characterized by time-varying parameters such as stored energy, desired charging

power, and available discharging power. Therefore, to evaluate system reliability accurately with such dynamic components, time-dependent algorithms are imperative [16]. This paper employs the Time Sequential Monte Carlo Simulation (TMCS) algorithm, acknowledged for its efficacy in analyzing time-dependent reliability issues [17]. The TMCS algorithm operates by sequentially generating varying system statuses over time. It produces a series of up or down times, termed state residence time series, for each component in the system [18]. Subsequently, these component-specific series are amalgamated to form the system status series. The Expected Energy Not Served (EENS) index stands as the predominant reliability measure [19]. Calculation of load shedding is indispensable at each time sequence to derive this index. Notably, this study concentrates on the reliability of generation systems, wherein the extent of load shedding is solely contingent on available generation capacity and electric load requirements.

3. Evaluation of Reliability in a storage system

This section introduces the proposed reliability assessment algorithm tailored for Battery Energy (BE) stations, which share similarities with Energy Storage Systems (ESSs) due to the presence of numerous batteries. In this algorithm, energy storage stations are assumed to exhibit behaviors akin to ESSs, facilitating their integration into the power system for enhanced reliability. The algorithm delineates two primary operational states for energy storage stations: "Charging States" and "Discharging States." During periods without load curtailments, energy storage stations continue to charge batteries at a predetermined rate, contributing to system stability [20]. Conversely, when load shedding becomes inevitable, energy storage stations transition to emergency generators, temporarily halting charging activities and utilizing stored energy to mitigate load curtailments. From a power system perspective, the integration of energy storage stations reduces the Expected Energy Not Served (EENS) index by supplementing emergency dispatching capabilities [21]. However, from the viewpoint of Electric Vehicle (EV) users, the charging demand may not be fully met during emergency dispatching, leading to dissatisfaction represented by the Unmet Demand for Nominal Service (UDNS) index.

The proposed algorithm involves a series of sequential steps, including generating hourly state residence series, determining the operational states of generations and transmission lines, and calculating parameters such as desired charging power and emergency supporting power for energy storage stations. These parameters guide storage station actions during load shedding events, ensuring optimal utilization of stored energy while minimizing user dissatisfaction. Additionally, the algorithm incorporates battery exchange events based on user behaviors and state of charge patterns, further refining reliability assessments [22]. By iteratively evaluating indices such as EENS and UDNS, the algorithm provides insights into the reliability implications of EVs operating under energy storage mode, facilitating informed decision-making for power system management and EV integration strategies.

4. EV and BE on Reliability

This section explores the impact of integrating Electric Vehicles (EVs) under Battery Energy (BE) mode on power system reliability. By virtue of their sizable battery storage, BE stations possess the capability to interface with power systems [23].

Results obtained from this analysis shed light on the alterations in power system reliability attributable to the incorporation of EVs operating in BE mode. These findings underscore the importance for policy and market decision-makers to glean insights pertinent to both planning and operational phases of BE stations. During the planning phase, one of the primary considerations revolves around storage sizing for BE stations. This aspect assumes significance as the reliability performance of power systems exhibits a notable dependence on the storage capacities of BE stations, as evidenced in this section's demonstration.

In the operational phase, the focus shifts towards issues concerning discharging strategy. These strategies are intricately linked to the emergency dispatching of power systems, with their formulation dictating the coordination between Expected Energy Not Served (EENS) and Unmet Demand for Nominal Service (UDNS) indices, as well as the overarching optimization of reliability performance. Similarly, charging strategies also come under scrutiny during the operational phase. This section delves into discussions surrounding the various charging strategies and their implications. The study highlights that disparities in charging strategies can precipitate significant variations in reliability metrics, impacting both EENS and UDNS indices. Such insights underscore the necessity for informed decision-making in devising charging strategies to optimize power system reliability.

5. Impacts of reliability in charging and discharging

The reliability of charging and discharging processes plays a critical role in the overall performance and usability of battery energy storage systems (BESS) and electric vehicles (EVs). Firstly, reliability in charging ensures that EVs can be effectively powered up when needed, providing assurance to users that their vehicles will be ready for use as expected. Unreliable charging systems can lead to delays, inconvenience, and uncertainty for EV owners, impacting their overall satisfaction with the vehicle. Similarly, reliability in discharging is essential for ensuring that BESS can deliver stored energy when required, particularly during emergency situations or periods of high demand. A dependable discharging process enables BESS to support the power grid effectively, providing stability and resilience to the electrical infrastructure. Conversely, unreliable discharging systems may result in insufficient energy being delivered when needed, leading to potential disruptions or failures in power supply.

Moreover, the impact of reliability in charging and discharging extends beyond individual EVs and BESS to the broader energy ecosystem. Reliable charging and discharging processes contribute to the overall stability and efficiency of the electrical grid, facilitating the integration of renewable energy sources and enabling smoother operation of demand-response programs. In contrast, unreliable charging and discharging systems can introduce uncertainty and variability into the grid, potentially compromising its reliability and resilience. Therefore, ensuring reliability in charging and discharging processes is essential for optimizing the performance, usability, and sustainability of EVs and BESS, as well as for enhancing the overall stability and efficiency of the electrical grid. Investment in robust and dependable charging and discharging infrastructure is critical to realizing the full potential of electric transportation and grid modernization efforts.

6. Conclusion

The exhaustive examination of the motor system's reliability in electric vehicles (EVs) underscores the critical importance of robust and dependable components within these vehicles. Through comprehensive research and analysis, this study has shed light on the complex interplay of factors influencing the reliability of EV motor systems, including the integration of drive motors and motor controllers, the impact of individual component reliability, and the significance of holistic system-level assessments. By identifying vulnerabilities and areas for improvement, this research paves the way for enhanced design, development, and maintenance practices that are essential for advancing the adoption and proliferation of EVs in the automotive landscape. Moving forward, it is imperative for researchers, engineers, and industry stakeholders to continue collaborating and innovating to address the reliability challenges inherent in EV motor systems. This includes further exploration of advanced methodologies and technologies for reliability assessment, as well as ongoing refinement of design and manufacturing processes to ensure the durability and longevity of EV components. By prioritizing reliability in the development of EV motor systems, we can accelerate the transition towards sustainable transportation and pave the way for a cleaner, greener future.

Other References

- M. Farhadi, B. T. Vankayalapati, R. Sajadi and B. Akin, "AC Power Cycling Test Setup and Condition Monitoring Tools for SiC-Based Traction Inverters," in *IEEE Transactions on Vehicular Technology*, vol. 72, no. 10, pp. 12728-12743, Oct. 2023

References

1. [^]K. Vaishali and D. R. Prabha, "The Reliability and Economic Evaluation Approach for Various Configurations of EV Charging Stations," in *IEEE Access*, vol. 12, pp. 26267-26280, 2024, doi: 10.1109/ACCESS.2024.3367133
2. [^]L. Cheng, Y. Chang, J. Lin and C. Singh, "Power System Reliability Assessment With Electric Vehicle Integration Using Battery Exchange Mode," in *IEEE Transactions on Sustainable Energy*, vol. 4, no. 4, pp. 1034-1042, Oct. 2013
3. [^]P. Lombardi, M. Heuer and Z. Styczynski, "Battery switch station as storage system in an autonomous power system: Optimization issue", *Proc. IEEE Power and Energy Soc. General Meeting*, 2010
4. [^]Mahiban Lindsay, N. and Parvathy, A.K., "Power System Reliability Assessment in a Complex Restructured Power System". *International Journal of Electrical and Computer Engineering.*, 9(4): 2296-2302, 2019.
5. [^]Z. Hu, "Impacts and utilization of electric vehicles integration into power system", *Proc. CSEE*, vol. 4, pp. 1-10, 2012-Jun.
6. [^]Mahiban Lindsay N., Nandakumar K., and Adarsh Vijayan Pillai, "Power System Reliability Index Assessment by Chronological Model with FACTS Devices" *International Conference on Smart Grid and Electric Vehicle (AIP Conference Proceedings)* by Hindustan Institute of Technology and Science, 2021.
7. [^]K. Schneider, C. Gerkenmeyer, M. Kintner-Meyer and R. Flecher, "Impact assessment of plug-in hybrid vehicles on

- pacific northwest distribution systems", Proc. IEEE Power and Energy Soc. General Meeting, 2008-Jul.*
8. [^]N.Mahiban Lindsay and A.K.Parvathy, "Simulation and Application on Power system Reliability for Bulk Electrical System", in *International Journal of Power Electronics and Renewable Energy Systems & (LNEE)*, by Springer Vol. 326, 2015, pp 1139-1147.
 9. [^]R. C. Green, L. Wang and M. Alam, "The impact of plug-in hybrid electric vehicles on distribution networks: A review and outlook", *Proc. IEEE Power and Energy Soc. General Meeting, 2010-Jul.*
 10. [^]M. L. N, A. E. Rao and M. P. Kalyan, "Real-Time Object Detection with Tensorflow Model Using Edge Computing Architecture," *2022 8th International Conference on Smart Structures and Systems (ICSSS), Chennai, India, pp. 01-04, 2022.*
 11. [^]M. Kintner-Meyer, K. Schneider and R. Pratt, *Impacts assessment of plug-in hybrid vehicles on electric utilities and regional US power grids Part 1: Technical analysis, Nov. 2007.*
 12. [^]D. V. K. Sarma and N. M. Lindsay, "Structural Design and Harnessing for Electric vehicle Review," *2023 9th International Conference on Electrical Energy Systems (ICEES), Chennai, India, pp. 107-111, 2023.*
 13. [^]Y. Wang, H. Liu, H. Yu, P. Wheeler, Q. Zhou and S. Zhao, "A Hybrid Battery Wireless Charger for Self-Adapting Battery Charging Curve and Anti-Misalignment," in *IEEE Journal of Emerging and Selected Topics in Industrial Electronics, vol. 4, no. 4, pp. 1192-1203, Oct. 2023*
 14. [^]N.K. Rayaguru, N. Mahiban Lindsay, Rubén González Crespo, S.P. Raja, "Hybrid bat–grasshopper and bat–modified multiverse optimization for solar photovoltaics maximum power generation", *Computers and Electrical Engineering, Volume 106, 2023, 108596, ISSN 0045-7906, doi: 10.1016/j.compeleceng.2023.108596.*
 15. [^]Mahiban Lindsay, M. Emimal, "Fuzzy logic-based approach for optimal allocation of distributed generation in a restructured power system", *International Journal of Applied Power Engineering (IJAPE) Vol. 13, No. 1, March 2024, pp. 123~129, ISSN: 2252-8792, DOI: 10.11591/ijape.v13.i1.pp123-129*
 16. [^]Lindsay N. Mahiban, Emimal M.. "Longevity of Electric Vehicle Operations". *Qeios. doi:10.32388/ZAPC23.2., 2023*
 17. [^]R. Colucci, I. Mahgoub, H. Yousefizadeh and H. Al-Najada, "Survey of Strategies to Optimize Battery Operation to Minimize the Electricity Cost in a Microgrid With Renewable Energy Sources and Electric Vehicles," in *IEEE Access, vol. 12, pp. 8246-8261, 2024*
 18. [^]S. S. G. Acharige, M. E. Haque, M. T. Arif, N. Hosseinzadeh, K. N. Hasan and A. M. T. Oo, "Review of Electric Vehicle Charging Technologies, Standards, Architectures, and Converter Configurations," in *IEEE Access, vol. 11, pp. 41218-41255, 2023*
 19. [^]A. T. Jacob and N. Mahiban Lindsay, "Designing EV Harness Using Autocad Electrical," *2022 8th International Conference on Smart Structures and Systems (ICSSS), Chennai, India, pp. 1-4, 2022.*
 20. [^]L. Xie, T. Huang, P. R. Kumar, A. A. Thatte and S. K. Mitter, "On an Information and Control Architecture for Future Electric Energy Systems," in *Proceedings of the IEEE, vol. 110, no. 12, pp. 1940-1962, Dec. 2022*
 21. [^]Hemendra Kumar, Mohit Kumar, Mahiban Lindsay, "Smart Helmet for Two-Wheeler Drivers" *International Journal of Engineering Research And Advanced Technology, Volume 2, Issue 05, Pages 156-159, 2016.*
 22. [^]C. J. Tomi and W. Kempton, "Vehicle-to-grid power fundamentals: Calculating capacity and net revenue", *J. Power Source, vol. 144, no. 1, pp. 268-279, Apr. 2005.*

23. [^]P. Yi, T. Zhu, B. Jiang, R. Jin and B. Wang, "Deploying Energy Routers in an Energy Internet Based on Electric Vehicles," in *IEEE Transactions on Vehicular Technology*, vol. 65, no. 6, pp. 4714-4725, June 2016.