

[Open Peer Review on Qeios](#)

RESEARCH ARTICLE

Evaluation of the Mindfulness-Based Wellbeing Enhancement Program: Effects on Wellbeing Outcomes

Sufian Chughtai¹, Kathirasan K², Sunita Rai²¹ University of Birmingham, United Kingdom² Independent researcher**Funding:** No source of funding. All data was collected from patients at Centre for Mindfulness (Singapore).**Potential competing interests:** Sufian Chughtai declares no conflicts of interest. Kathirasan K is the Founder of the Centre for Mindfulness (Singapore) and the principal developer of the MBWE. Sunita Rai is the founder of the Holistic Psychotherapy Centre (Singapore) and the co-developer of the MBWE.

Abstract

The 8-week Mindfulness-Based Wellbeing Enhancement (MBWE) program was designed to enhance mental wellbeing across diverse populations. This evaluation report presents findings from two studies assessing the program's effectiveness. In Study 1, pre- and post-program assessments using the Five Facet Mindfulness Questionnaire (FFMQ) revealed significant improvements across all facets of mindfulness, demonstrating the program's efficacy in cultivating mindfulness among participants. Study 2 examined human flourishing outcomes through self-reported data collected at the program's conclusion, with participants consistently reporting enhanced mental wellbeing across multiple dimensions. Although the absence of control groups in both studies limits the ability to definitively attribute these outcomes to the MBWE program, the overall findings indicate that the MBWE program effectively promotes mindfulness and supports broader mental wellbeing.

Introduction

Mental health challenges are becoming increasingly widespread, with one of the most common manifestations being a pervasive sense of unhappiness. In 2019, approximately 280 million people worldwide were affected by depressive disorders^[1], underscoring the urgent need for interventions that promote human flourishing and mitigate feelings of unhappiness and dissatisfaction^[2]. Unhappiness is influenced by a range of psychological factors such as anxiety, loneliness, and stress^[3], as well as socioeconomic conditions^[4], making the task of addressing these challenges complex for healthcare providers.

While many individuals turn to psychological services like therapy to alleviate dissatisfaction and distress, such interventions, though effective in reducing symptom severity^[5], are limited in their capacity to serve large populations. Furthermore, nearly 60% of people with depressive disorders do not seek medical help due to stigma and misconceptions^[6]. Many current healthcare models, particularly in mental health, tend to focus on symptom reduction,

such as alleviating anxiety, depression, or other disorders. This approach often emphasizes treating pathology rather than promoting positive wellbeing and human flourishing. While this is essential for managing acute mental health concerns, it can overlook the broader goal of enhancing an individual's overall quality of life, resilience, and capacity to thrive.

This raises a crucial question: Can healthcare solutions be designed not only to address unhappiness but also to actively foster lasting happiness? Although the integration of human flourishing into healthcare remains limited, second-generation mindfulness-based programs, such as Mindfulness-Based Wellbeing Enhancement (MBWE), are designed to address this gap. Unlike traditional models that primarily focus on symptom relief, MBWE emphasizes the cultivation of holistic wellbeing and human flourishing, offering a more comprehensive approach to mental health and personal growth^[7].

Mindfulness, a contemplative practice rooted in traditions such as Zen Buddhism, Hatha Yoga, Advaita Vedanta, and Vipassana, can be broadly defined as the practice of maintaining full awareness of the present moment, deepening concentration and practicing acceptance^{[8][9][7]}. In modern healthcare, mindfulness has become an increasingly integrated component of various interventions, reflecting its growing recognition as a valuable tool for enhancing mental and physical wellbeing. One of the most common ways to introduce and cultivate mindfulness is through structured mindfulness-based programs (MBPs), where participants engage in regular sessions designed to incorporate mindfulness into daily life^[10].

Two prominent first-generation MBPs, Mindfulness-Based Stress Reduction (MBSR) and Mindfulness-Based Cognitive Therapy (MBCT), have been widely adopted in healthcare, demonstrating positive outcomes across multiple domains. For instance, MBSR has been shown to enhance self-esteem, confidence, and compassion in individuals with intellectual disabilities, while MBCT has been found to improve emotional regulation in some adults^[11]. Systematic reviews by Zhang et al.^[12] and Lee et al.^[13] further validate the effectiveness of mindfulness-based interventions in improving psychosocial health, including anxiety, stress, ADHD, and even physical health.

The success of first-generation Mindfulness-Based Programs (MBPs) in clinical settings is well-documented, demonstrating their effectiveness in reducing symptoms of stress, anxiety, depression, and chronic pain across diverse populations. Moreover, mindfulness has demonstrated the potential to promote human flourishing by increasing happiness, enhancing social relationships, and improving both mental and physical health^{[14][15]}. A recent study by Hwang et al.^[16] revealed that participants in an 8-week mindfulness intervention reported positive changes, including increased calmness and emotional stability.

Despite the compelling evidence supporting mindfulness, its application remains predominantly confined to clinical contexts, with its broader potential to promote human flourishing largely underexplored. Addressing this gap, the Mindfulness-Based Wellbeing Enhancement (MBWE) program was developed to expand the scope of mindfulness beyond clinical interventions, with a particular emphasis on fostering holistic wellbeing and human flourishing^[7].

The MBWE Program

Mindfulness-Based Wellbeing Enhancement (MBWE) is an innovative mindfulness-based program (MBP) specifically

designed to promote human flourishing. A key distinction of MBWE, compared to other MBPs, is its inclusivity; the program is accessible to all individuals, regardless of their mental health history, broadening its applicability beyond traditional therapeutic settings. Unlike first-generation mindfulness-based programs (MBPs) such as Mindfulness-Based Stress Reduction (MBSR) and Mindfulness-Based Cognitive Therapy (MBCT), which are primarily designed for individuals with mental health conditions such as severe anxiety, ADHD, or other psychological disorders^{[17][18][19][20]}, MBWE is specifically tailored to benefit individuals regardless of the presence or severity of mental health concerns. This broader focus allows MBWE to support both individuals seeking relief from distress and those aiming to enhance their overall wellbeing and flourishing. This inclusive approach broadens the program's accessibility, positioning it as an appreciative mindfulness-based program (MBP) that combines mindfulness practices with elements of positive psychology. By doing so, MBWE encourages participants to integrate these practices into their daily lives, fostering both personal growth and sustained wellbeing.

The structure of MBWE shares some similarities with traditional first-generation MBPs, as outlined in studies such as Virgili^[21] and Jackson et al.^[22]. The program spans eight weeks, with participants attending weekly sessions, typically lasting 2.5 hours each, and engaging in a 4-hour silent retreat. Like other mindfulness-based programs (MBPs), MBWE incorporates home practices and exercises assigned after each session, encouraging participants to reinforce and deepen their mindfulness skills between weekly meetings. This ongoing engagement is essential for cultivating sustained personal growth and wellbeing. Core mindfulness practices, such as the body scan, mindful hatha yoga, and sitting meditation^[23], are central components of MBWE, reflecting its alignment with MBSR/MBCT. Additionally, didactic elements and interactive exercises are incorporated to enhance participant engagement and promote self-reflection. These components facilitate a deeper understanding of mindfulness concepts and encourage the practical application of mindfulness in daily life.

However, MBWE distinguishes itself by expanding beyond traditional mindfulness practices, incorporating novel activities and approaches, as outlined in Tables 1 and 2^[7], to achieve its distinctive goals. The program seeks to redefine participants' understanding of happiness by cultivating insights into wellbeing enhancement through what Kathirasan and Rai^[7] describe as the "happiness paradigm." This paradigm is characterized by a balance of attention to the positive, acceptance of the negative, and purposeful interpretation. Each of MBWE's eight sessions is structured around a specific theme, such as "holistic wellbeing" or "focusing on what works," providing participants with a clear framework to understand and engage with the program's objectives.

Essentially, MBWE seeks to generate positive and transformative outcomes in its participants by enhancing their overall sense of wellbeing and happiness. In contrast to first-generation MBPs, which primarily focus on restoring individuals with mental health conditions to a baseline of functional mental health, MBWE emphasizes the proactive cultivation of flourishing and sustained wellbeing. This positions MBWE as a potentially more expansive and future-oriented approach to mindfulness-based interventions.

Table 1. A table excerpt from Kathirasan and Rai [7] provides a comparative analysis of the didactic components and exercises shared between MBWE and first-generation mindfulness-based programs (MBPs), highlighting both their similarities and differences.

	Same as first-generation MBPs	Different from first-generation MBPs
Didactic components and exercises	Thoughts and feelings exercise	Wellbeing self-assessment
	Poem: The Guest House	The brain and mindfulness
	Nourishing and depleting review (adapted into meaningful engagement exercise)	Asset-based mindset
	Alternative viewpoints exercise (adapted into perspective-taking exercise)	Character strengths survey

Table 2. A table excerpt from Kathirasan and Rai [7] presents a comparison of mindfulness practices in MBWE, highlighting the practices that are either similar to or distinct from those in first-generation mindfulness-based programs (MBPs).

	Same as first-generation MBPs	Different from first-generation MBPs
Mindfulness practices (formal and informal)	Body scan	Mindful perception
	Awareness of breath	Gratitude practice
	Sitting meditation	Pro-social gratitude practice
	Mindful movement (mindful hatha, mindful stretching)	Sitting with a metaphor
	Coping breathing space (breathing space)	Mindful eating
	Mindful walking	
	Raisin practice	
	Lovingkindness meditation	

This study aimed to provide preliminary evidence of MBWE's capacity to promote human flourishing and increase happiness across individuals, irrespective of their current wellbeing status. While the primary focus of MBWE is the enhancement of overall wellbeing and the fostering of human flourishing, the findings suggest that the program may also have the potential to reduce stress, anxiety, and depression, despite these not being the primary objectives. These results highlight the need for further research into the broader mental health benefits of MBWE, extending beyond its intended focus on positive psychological outcomes.

Study 1

Aims and Hypotheses

This study aimed to evaluate the effects of the MBWE program on enhancing mindfulness among participants. Mindfulness was assessed using the Five Facet Mindfulness Questionnaire (FFMQ), administered at both the onset and conclusion of the program. It was hypothesized that participants would exhibit increases in mindfulness scores following completion of the MBWE program, thereby reflecting the program's effectiveness in cultivating mindfulness.

Methods

Experimental Design

No specific experimental design method was employed in this study. Participants who enrolled in and completed the 8-week MBWE program, delivered either in-person or virtually, and provided a valid data set were included in the analysis. The dependent variables were measured using the pre- and post-program Five Facet Mindfulness Questionnaire (FFMQ), which generated five mindfulness-related measurements for each participant based on their responses at the beginning and conclusion of the program.

Participants and Recruitment

No specific recruitment strategy was employed for the MBWE program, as participation was open to all individuals interested in enrolling, with participants responsible for their own enrolment fees. Potential participants were likely attracted to the program through various channels, including social media, in-person seminars, and online information available on the Centre for Mindfulness (Singapore) website. An intake process was conducted to screen out individuals unlikely to benefit from the program, ensuring suitability for participation.

FFMQ data were collected from 50 participants who responded to the invitation and attended at least 7 out of the 9 sessions. No comparison group was utilized in this study. In line with the specific goals of MBWE, demographic details and participants' medical histories were not included. Data collection occurred over approximately 3.5 years, from August 2017 to January 2021.

Measurements

This study utilized a single measurement tool: the Five Facet Mindfulness Questionnaire (FFMQ). The FFMQ is widely recognized as one of the most commonly used instruments in mindfulness research^{[24][25]} and is considered a reliable measure of various dimensions of mindfulness^[26]. It is applicable in studies investigating both mindfulness-based programs (MBPs) and general mindfulness assessments. The FFMQ consists of 39 Likert scale items designed to assess mindfulness across five core dimensions: observing, describing, acting with awareness, nonjudging, and nonreactivity to inner experience.

Each item presents a scenario or feeling commonly encountered in daily life, with participants rating their responses on a 5-point scale, where 1 = "never or rarely true," 2 = "rarely true," 3 = "sometimes true," 4 = "often true," and 5 = "very often or always true." Examples of items for each of the five dimensions are provided in Table 3. Participants completed the FFMQ twice: once prior to starting the MBWE program and again upon completion. This allowed for a quantitative evaluation of changes in mindfulness over the course of the program.

Table 3. Samples of questions from the Five Facet Mindfulness Questionnaire (FFMQ), along with the corresponding mindfulness category they measure, are provided below

Category measured	Sample question
Observing	"When I am walking, I deliberately notice the sensations of my body moving.
Describing	I am good at finding words to describe my feelings.
Acting with awareness	When I do things, my mind wanders off and I am easily distracted.
Being nonjudging	I criticize myself for having irrational or inappropriate emotions
Non-reactive to inner experience	I perceive my feelings and emotions without having to react to them

Missing Values

Incomplete data were obtained from four participants (12.5%) due to the absence of either pre-MBWE or post-MBWE FFMQ responses. Consequently, these participants were excluded from the final analysis, resulting in a reduced total sample size of 46.

Analytical Method

The pre- and post-MBWE FFMQ scores were compiled, and the five mindfulness categories were calculated for each participant in accordance with the FFMQ scoring guidelines. Mean scores for each category were computed for both the pre- and post-MBWE periods to evaluate changes in mindfulness levels. Paired t-tests were conducted for each category to assess the statistical significance of the observed changes, with a 95% confidence level. Data analysis was performed using Microsoft Excel version 2408.

Results

The findings indicate a positive correlation between participation in the MBWE program and increased mindfulness. Table 4 presents the mean scores from the pre- and post-MBWE FFMQ assessments, along with the corresponding p-values. The data demonstrate a significant increase in mindfulness across all five categories, suggesting that the MBWE program effectively enhances mental wellbeing. Paired t-tests conducted at a 95% confidence level ($p < 0.05$) confirmed the statistical significance of these improvements in mindfulness.

Table 4. Means obtained from pre- and post-MBWE FFMQ, with p-values from the paired t-test. (N=46)

FFMQ score total	Pre mean	Post mean	Calculated p-value
Observing	25.8696	29.9348	3.15492E-05
Describing	24.1957	26.8913	1.99247E-06
Acting with awareness	17.3261	21.4783	5.32784E-07
Nonjudging	16.5000	21.7174	5.30352E-09
Nonreactivity	21.1304	25.0217	5.13213E-06

Discussion

As hypothesized, the results from the FFMQ revealed statistically significant increases across all five facets of mindfulness, indicating that the MBWE program effectively enhanced mindfulness in participants. These findings are consistent with those reported in similar studies on 8-week MBSR/MBCT programs^{[27][28]}, which employed more advanced tools, such as seed-based functional connectivity mapping and event-related potential graphs, to provide in-depth analyses. Although this study relied solely on the FFMQ, the alignment of its results with these more technologically advanced studies underscores the efficacy of mindfulness-based interventions, with both showing strong statistical significance in increasing mindfulness.

The impact of these interventions can be further assessed by comparing FFMQ results across studies. Incagli et al.^[27] reported significant improvements in mindfulness with MBSR ($p < 0.001$), which parallels the findings of this study ($p < 0.05$). Similarly, both studies observed increases across all FFMQ categories among participants. Guu et al.^[28] also reported highly significant outcomes ($p < 0.001$), and the MBWE study demonstrated comparable results, with all FFMQ categories showing an average increase of over 4 points post-intervention.

These findings highlight the efficacy of the MBWE program, demonstrating its ability to achieve results comparable to first-generation MBPs. This reinforces its potential to enhance mindfulness and contribute to overall wellbeing.

Study 2

Aims and Hypotheses

The aim of this study was to evaluate the effectiveness of the MBWE program in promoting human flourishing among participants. Upon completion of the MBWE course, participants were invited to complete a brief survey to assess their experiences and perceived changes in wellbeing. It was hypothesized that participants would report positive improvements in their overall wellbeing as a result of the program.

Methods

Experimental Design

Similar to Study 1, no specific experimental design was implemented, as the MBWE program, whether conducted in-person or virtually, was open to all participants who attended at least 7 out of the 9 sessions. Since this study focused exclusively on post-MBWE data, there were no explicit dependent variables, although certain survey questions may have functioned as such. The study relied on self-report methods to assess outcomes, a widely accepted approach in mindfulness research due to the inherently subjective nature of human experiences^[26]. Self-report measures have also been demonstrated to be effective for evaluating mindfulness^[29]. Given the varied conceptualizations of mindfulness, the use of subjective self-report methods is essential for capturing the complexities of participants' experiences^[30]. Thus, the design of this study can be considered sufficient without the inclusion of additional measurement tools.

Participants and Recruitment

The recruitment method mirrored that of Study 1. All participants were admitted into the program following an intake process designed to screen out individuals unlikely to benefit from the MBWE program. For this phase, a distinct group of 124 MBWE participants, distinct from those in Study 1 were selected. Although these participants did not complete the FFMQ, they engaged in the same MBWE curriculum, following an identical structure and content to that of the Study 1 cohort.

Measurements

Measurements for this study were obtained using a self-developed questionnaire administered upon completion of the MBWE program. The purpose of the questionnaire was to gather participant feedback and assess the personal benefits derived from the program. While it is more common in mindfulness research to use standardized quantitative scales to evaluate statistical significance^{[31][32]}, this study opted for a qualitative approach. Quantitative methods can often oversimplify individual experiences^[33], and considering the diverse ways mindfulness can affect participants, relying solely on such methods was deemed insufficient for capturing the full range of outcomes.

The questionnaire included two Likert-scale questions in which participants rated their satisfaction with the facilitators and evaluated the relevance and usefulness of the course in their lives. Additionally, a structured self-report item allowed participants to identify specific aspects of their lives that had been positively impacted by the course, with options such as reduced stress, reduced anxiety, improved self-awareness, increased happiness, and discovering a deeper sense of meaning in life.

Finally, two open-ended questions were included to invite participants to share personal reflections on their experiences with the MBWE course, offering deeper insight into the program's impact:

- "Please describe other aspects of your life where you experienced increased levels of wellbeing as a result of this mindfulness course."
- "What were your key takeaways or learnings from this course?"

These questions aimed to capture the broader and more subjective outcomes of the program that may not have been fully

reflected in the quantitative data.

Data were collected over a period of 2.75 years, spanning from August 2021 to May 2024.

Analytical Method

No advanced analytical techniques were employed in this study. Responses to the two quantitative Likert-scale questions were aggregated and presented graphically for ease of interpretation. The open-ended responses were analysed using qualitative methods, where recurring themes and patterns were identified and visually represented in Figures 2 and 3. This thematic analysis offered a deeper understanding of participants' experiences and highlighted the key takeaways from the MBWE program.


Results

Figure 1 illustrates the frequency of responses to the two Likert-scale questions included in the survey, revealing overwhelmingly positive feedback for the MBWE program. Fewer than five respondents provided neutral responses regarding the program's relevance and usefulness, while 96% indicated that the program was beneficial to varying degrees. The majority of participants also expressed high levels of satisfaction with the facilitators, suggesting that the sessions were well-organized, engaging, and met participants' expectations. Notably, none of the respondents reported that the course or its facilitators fell short of expectations.

Table 5 presents the specific benefits participants reported gaining from the MBWE program, with all respondents selecting at least one positive outcome. This finding suggests that MBWE's impact spans a broad demographic, offering benefits to participants regardless of their mental health history or background.

The responses to the open-ended questions were similarly positive, with participants praising the facilitators and reporting improvements in their overall wellbeing. The detailed feedback allowed for the identification of common themes, visually represented in Figures 2 and 3. These findings are consistent with similar studies, such as Moss et al.^[34], further validating the positive outcomes associated with the MBWE program.

A How relevant and helpful do you think this Course was for your life?



B How satisfied were you with the facilitators?




Figure 1. Graphs (A) and (B) presenting data obtained from the Likert-scale questions on the post-MBWE questionnaire (N=124).

Table 5. The effect of the MBWE program on participants' mental wellbeing (N=124).

Effect of MBWE programme	Number of responses	Number of responses % (N)
Reduced stress	60	48.4
Reduced anxiety	66	53.2
Improved self-awareness	115	92.7
Increased happiness levels	57	46.0
Discovered deeper meaning to life	68	54.8




Figure 2. Common themes of responses to the question, "Please describe other aspects of your life where you experienced increased levels of wellbeing due to this mindfulness course." The proportion of each theme is displayed within the corresponding sections of the chart (N=124).




Figure 3. Common themes identified in responses to the question, "What were your key takeaways/learnings from this course?" Responses have been categorized into four main themes, with some answers overlapping across multiple themes (N=124).

Discussion

Table 5 highlights the specific benefits participants reported after completing the MBWE program. Notably, all respondents identified at least one positive outcome, with 92% reporting heightened self-awareness, 54.8% discovering a deeper sense of meaning in life, and 53.2% experiencing reduced anxiety levels. These outcomes underscore MBWE's capacity to promote human flourishing, with the vast majority of participants experiencing increased life satisfaction and meaningful personal growth. Additionally, the program effectively addressed mental health concerns, including reductions in stress and anxiety, aligning with findings from other mindfulness-based programs like Mindfulness-Based Stress Reduction (MBSR)^{[35][36]}.

Physical health benefits were also reported by several participants, such as improved sleep and stabilized blood pressure (Figure 2). The largest group, 43%, experienced psychological benefits, reinforcing the program's success in enhancing mental health and emotional wellbeing. Furthermore, 27% of participants reported physical health improvements, which corroborates existing research linking mindfulness practices to better sleep, reduced blood pressure, and decreased physical tension—often as a secondary effect of improved psychological wellbeing. Additionally, 20% of participants experienced enhanced relationships, indicating that mindfulness fosters better interpersonal connections through improved empathy, communication, and emotional regulation. Overall, these results suggest that MBWE positively impacts not only mental health but also physical wellbeing, and social relationships. These outcomes are consistent with studies demonstrating MBSR's efficacy in managing chronic pain^[37] and cardiovascular conditions^[38]. Although MBWE did not include specific quantitative measures for stress or anxiety, its potential to replicate MBSR's physical health benefits is evident, and further research is needed to precisely quantify these effects.

There is also substantial evidence supporting the effectiveness of Mindfulness-Based Cognitive Therapy (MBCT) in treating anxiety and depressive disorders, with Cladder-Micus et al.^[39] reporting that MBCT's benefits persisted for up to six months post-intervention. The data from Table 5 indicate that MBWE may hold similar potential, as 46% of respondents reported increased happiness. While MBCT remains the more established intervention for treating such disorders, MBWE offers a broader focus on fostering human flourishing and overall wellbeing, suggesting that it could achieve comparable mental health outcomes while also promoting holistic development.

Figure 3 provides further insights into the key learnings reported by participants. The most commonly identified learning was "Improved Mindfulness," with 64 participants citing this as a significant takeaway. This finding underscores MBWE's success in cultivating mindfulness, which is the central aim of mindfulness-based programs—helping participants develop sustained present-moment awareness and integrate mindfulness into their daily lives.

"Improved Emotional Control" was the second most frequently reported theme, cited by 42 participants. This reflects mindfulness's role in fostering emotional regulation, a crucial skill for managing stress, anxiety, and other emotional challenges. Participants noted that the ability to regulate their emotions enabled them to respond to life's difficulties with greater composure and less reactivity.

A smaller but significant portion of participants (19) reported "Improved Awareness," highlighting the enhanced self-

awareness that mindfulness practice cultivates. This suggests that MBWE effectively fosters greater self-understanding, a key element in personal growth and flourishing. Finally, “Enhanced Neurobiological Awareness” was the least commonly reported learning, with only 5 participants identifying this as a key takeaway. While mindfulness programs typically emphasize psychological and emotional benefits, this finding suggests that some participants gained insights into how mindfulness affects biological processes such as stress responses and physical health.

Limitations and Methodological issues

The 8-week MBWE program likely represented the first exposure to mindfulness for many participants, potentially limiting the extent to which the results reflect the full potential of mindfulness meditation. Extending mindfulness practices beyond the 8-week timeframe could yield more substantial effects, as the current duration may be insufficient to fully assess complex outcomes, such as discovering deeper meaning in life—an intricate concept shaped by cognitive and intellectual factors. Future studies would benefit from follow-up assessments to track long-term human flourishing outcomes. A parallel can be drawn to the secondary analysis of MBSR/MBCT graduates conducted by Maloney et al.^[40], which examined post-completion changes in mental wellbeing.

To improve the rigour of future MBWE research, it is essential to include a control group, which would allow for clearer attribution of mindfulness improvements to the program itself, rather than to external variables. The inclusion of a control group would strengthen the evidence that MBWE is directly responsible for the observed enhancements in mindfulness and wellbeing.

In contrast, contemporary research on first-generation MBPs, such as MBSR and MBCT, often narrows its sample by focusing on individuals with specific mental health conditions through strict inclusion and exclusion criteria. While this approach ensures consistency in findings, it may introduce methodological issues such as small sample sizes and selection biases, which can limit the statistical significance of the outcomes^[41]. The MBWE program, being open to all participants, introduces greater variability in the data, which poses challenges in outcome analysis. While this inclusivity is a strength in promoting mindfulness to a broader audience, it also presents analytical difficulties, as higher variance in the data may skew results. Moreover, given that MBWE is a relatively new intervention, the absence of prior studies for comparison limits the external validation of the current findings. Regular evaluations in future studies are necessary to maximize data collection and ensure replicability.

Additionally, it would be advantageous for future studies to have all participants complete both the pre- and post-MBWE FFMQ, along with the post-MBWE survey, to create a more cohesive dataset that links quantitative and qualitative outcomes. Some participants may express themselves more effectively in open-ended survey questions, while others may benefit from the structured nature of the FFMQ, which covers a broader range of topics. In this study, separate participant groups completed the FFMQ and the survey, preventing direct comparison of the two data types.

A potential source of bias may stem from participants' preferences for particular mindfulness instructors, which could have influenced their experiences with the program. However, since nearly all participants reported at least one significant

benefit from MBWE, this bias likely had minimal impact on the overall results. Nevertheless, this potential bias should be considered in future studies.

Finally, incorporating additional quantitative measures, such as the Psychological Wellbeing Scale, to assess wellbeing levels pre- and post-program, would offer a more objective evaluation of participants' overall psychological wellbeing. This approach would provide deeper insights into the statistical significance of changes in areas such as self-acceptance, autonomy, and personal growth, thereby enhancing the ability to evaluate the program's effectiveness in promoting comprehensive psychological wellbeing. The current data, as shown in Table 4, may exhibit high individual variability due to psychological factors such as the placebo effect, complicating the ability to draw definitive conclusions. One improvement would be to familiarize participants with the quantitative measures prior to the start of the program, thereby reducing potential self-report biases, such as social desirability bias, which can distort the accuracy of self-assessments^[42].

Conclusion

This study aimed to evaluate the effects of the MBWE program on enhancing mindfulness and promoting human flourishing among participants, incorporating both qualitative and quantitative methods to assess its effectiveness. The findings from both studies highlight the program's effectiveness in improving psychological wellbeing, reducing anxiety and stress, and fostering a deeper sense of self-awareness and life meaning. Notably, the program's inclusive approach allows individuals to benefit from the interventions, suggesting broad applicability.

While the results indicate strong positive outcomes, future studies should aim to incorporate control groups, longer follow-up periods, and additional quantitative assessments to provide a more comprehensive evaluation of MBWE's effectiveness. Despite these limitations, the MBWE program shows substantial potential not only in addressing mental health concerns but also in fostering holistic wellbeing and human flourishing, marking it as a valuable second-generation mindfulness-based program for a broad range of individuals.

Statements and Declarations

Acknowledgements

The authors express their sincere gratitude to the Centre for Mindfulness (Singapore) for generously providing the data that made this study possible. Special thanks are extended to all the participants, whose valuable time and thoughtful feedback were instrumental in shaping the findings of this research. Their contributions not only enriched the study but also deepened our understanding of the potential benefits of mindfulness practices. We appreciate their willingness to engage with the Mindfulness-Based Wellbeing Enhancement (MBWE) program and share their personal experiences, which are central to the ongoing exploration of mindfulness and its impact on mental wellbeing.

Conflict of Interests

Sufian Chughtai declares no conflicts of interest. Kathirasan K is the Founder of the Centre for Mindfulness (Singapore) and the principal developer of the MBWE. Sunita Rai is the founder of the Holistic Psychotherapy Centre (Singapore) and the co-developer of the MBWE.

References

- [^] World Health Organization. *Mental disorders*. Available from: <https://www.who.int/news-room/fact-sheets/detail/mental-disorders>. Accessed 1 Oct 2024.
- [^] Millgram Y, Joormann J, Huppert JD, et al. (2019). "Motivations to Experience Happiness or Sadness in Depression: Temporal Stability and Implications for Coping With Stress." *Clinical Psychological Science*. 7 (1): 143–161. doi:10.1177/2167702618797937.
- [^] Blanchflower DG. (2020). "Unhappiness and age." *Journal of Economic Behavior & Organization*. 176: 461–488. doi:10.1016/j.jebo.2020.04.022.
- [^] Miñarro S, Reyes-García V, Aswani S, et al. (2021). "Happy without money: Minimally monetized societies can exhibit high subjective wellbeing." *PLoS ONE*. 16 (1): e0244569. doi:10.1371/journal.pone.0244569.
- [^] Ewen V, Mushquash AR, Mushquash CJ, et al. (2018). "Single-session therapy in outpatient mental health services: Examining the effect on mental health symptoms and functioning." *Social Work in Mental Health*. 16 (5): 573–589. doi:10.1080/15332985.2018.1456503.
- [^] Chand SP, Arif H. *Depression*. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing; 2024. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK430847/>. Downloaded 12 Oct 202
- ^{a, b, c, d, e, f, g} K, K. and Rai, S. (2023). *Introducing Mindfulness-Based Wellbeing Enhancement: Cultural Adaptation and an 8-week Path to Wellbeing and Happiness*. 1st edition. London ; New York: Routledge.
- [^] Kabat-Zinn J. (1982). "An outpatient program in behavioral medicine for chronic pain patients based on the practice of mindfulness meditation: Theoretical considerations and preliminary results." *General Hospital Psychiatry*. 4 (1): 33–47. doi:10.1016/0163-8343(82)90026-3.
- [^] Kabat-Zinn J. (2001). *Mindfulness Meditation (For Everyday Life)*. Available at: <https://inthecloudmarketing.com/wp-content/uploads/2018/03/97291641-Mindfulness-Meditation-for-Everyday-Life-Kabat-Zinn-Jon.pdf>.
- [^] Shapero BG, Greenberg J, Pedrelli P, et al. (2018). "Mindfulness-Based Interventions in Psychiatry." *Focus: Journal of Life Long Learning in Psychiatry*. 16 (1): 32–39. doi:10.1176/appi.focus.20170039.
- [^] Singh NN, Hwang Y-S. (2020). "Mindfulness-based programs and practices for people with intellectual and developmental disability." *Current Opinion in Psychiatry*. 33 (2): 86. doi:10.1097/YCO.0000000000000570.
- [^] Zhang D, Lee EKP, Mak ECW, et al. (2021). "Mindfulness-based interventions: an overall review." *British Medical Bulletin*. 138 (1): 41–57. doi:10.1093/bmb/ldab005.
- [^] Lee Y-C, Chen C-R, Lin K-C. (2022). "Effects of Mindfulness-Based Interventions in Children and Adolescents with

- ADHD: A Systematic Review and Meta-Analysis of Randomized Controlled Trials.* *International Journal of Environmental Research and Public Health.* 19 (22): 15198. doi:10.3390/ijerph192215198.
14. [^]Davidson RJ. (2021). "Mindfulness and more: Toward a science of human flourishing." *Psychosomatic Medicine.* 83 (6): 665–668. doi:10.1097/PSY.0000000000000960.
 15. [^]Rowland Z, Wenzel M, Kubiak T. (2020). "A mind full of happiness: How mindfulness shapes affect dynamics in daily life." *Emotion (Washington, D.C.).* 20 (3): 436–451. doi:10.1037/emo0000562.
 16. [^]Hwang MH, Bunt L, Warner C. (2023). "An Eight-Week Zen Meditation and Music Programme for Mindfulness and Happiness: Qualitative Content Analysis." *International Journal of Environmental Research and Public Health.* 20 (23): 7140. doi:10.3390/ijerph20237140.
 17. [^]Hoge EA, Bui E, Mete M, et al. (2023). "Mindfulness-Based Stress Reduction vs Escitalopram for the Treatment of Adults With Anxiety Disorders: A Randomized Clinical Trial." *JAMA Psychiatry.* 80 (1): 13–21. doi:10.1001/jamapsychiatry.2022.3679.
 18. [^]Oliva F, Malandrone F, di Girolamo G, Mirabella S, Colombi N, Carletto S, Ostacoli L (2021). "The efficacy of mindfulness-based interventions in attention-deficit/hyperactivity disorder beyond core symptoms: A systematic review, meta-analysis, and meta-regression." *Journal of Affective Disorders.* 292: 475–486. doi:10.1016/j.jad.2021.05.068.
 19. [^]Wells RE, O'Connell N, Pierce CR, Estave P, Penzien DB, Loder E, Zeidan F, Houle TT (2021). "Effectiveness of Mindfulness Meditation vs Headache Education for Adults With Migraine: A Randomized Clinical Trial." *JAMA Internal Medicine.* 181 (3): 317–328. doi:10.1001/jamainternmed.2020.7090.
 20. [^]Tickell A, Ball S, Bernard P, Kuyken W, Marx R, Pack S, Strauss C, Sweeney T, Crane C (2020). "The Effectiveness of Mindfulness-Based Cognitive Therapy (MBCT) in Real-World Healthcare Services." *Mindfulness.* 11 (2): 279–290. doi:10.1007/s12671-018-1087-9.
 21. [^]Virgili M. (2015). "Mindfulness-Based Interventions Reduce Psychological Distress in Working Adults: a Meta-Analysis of Intervention Studies." *Mindfulness.* 6 (2): 326–337. doi:10.1007/s12671-013-0264-0.
 22. [^]Jackson S, Brown J, Norris E, et al. (2022). "Mindfulness for smoking cessation." *The Cochrane Database of Systematic Reviews.* 2022 (4). doi:10.1002/14651858.CD013696.pub2.
 23. [^]Kabat-Zinn J. (2005). *Full catastrophe living: Using the wisdom of your body and mind to face stress, pain, and illness, 15th anniversary ed.* Full catastrophe living: Using the wisdom of your body and mind to face stress, pain, and illness, 15th anniversary ed. New York, NY, US: Delta Trade Paperback/Bantam Dell.
 24. [^]Manuel JA, Somohano VC, Bowen S. (2017). "Mindfulness Practice and Its Relationship to the Five-Facet Mindfulness Questionnaire." *Mindfulness.* 8 (2): 361–367. doi:10.1007/s12671-016-0605-x.
 25. [^]Carpenter JK, Conroy K, Gomez AF, et al. (2019). "The relationship between trait mindfulness and affective symptoms: A meta-analysis of the Five Facet Mindfulness Questionnaire (FFMQ)." *Clinical Psychology Review.* 74: 101785. doi:10.1016/j.cpr.2019.101785.
 26. ^{a, b}Truong QC, Krägeloh CU, Siegert RJ, et al. (2020). "Applying Generalizability Theory to Differentiate Between Trait and State in the Five Facet Mindfulness Questionnaire (FFMQ)." *Mindfulness.* 11 (4): 953–963. doi:10.1007/s12671-020-01324-7.

27. ^{a, b}Incagli F, Tarantino V, Crescentini C, Vallesi A (2020). "The Effects of 8-Week Mindfulness-Based Stress Reduction Program on Cognitive Control: an EEG Study." *Mindfulness*. 11 (3): 756–770. doi:10.1007/s12671-019-01288-3.
28. ^{a, b}Guu SF, Chao YP, Huang FY, Cheng YT, Ng HH, Hsu CF, Chuang CH, Huang CM, Wu CW (2023). "Interoceptive awareness: MBSR training alters information processing of salience network." *Frontiers in Behavioral Neuroscience*. 17: 1008086. doi:10.3389/fnbeh.2023.1008086.
29. [^]Baer R (2019). "Assessment of mindfulness by self-report." *Current Opinion in Psychology*. 28: 42–48. doi:10.1016/j.copsyc.2018.10.015.
30. [^]Park T, Reilly-Spong M, Gross CR (2013). "Mindfulness: a systematic review of instruments to measure an emergent patient-reported outcome (PRO)." *Quality of Life Research*. 22 (10): 2639–2659. doi:10.1007/s11136-013-0395-8.
31. [^]Simon PD. (2021). "The 10-item Perceived Stress Scale as a valid measure of stress perception." *Asia-Pacific Psychiatry*. 13 (2): e12420. doi:10.1111/appy.12420.
32. [^]Brown KW, Ryan RM. (2003). "The benefits of being present: Mindfulness and its role in psychological wellbeing." *Journal of Personality and Social Psychology*. 84 (4): 822–848. doi:10.1037/0022-3514.84.4.822.
33. [^]Hammarberg K, Kirkman M, de Lacey S. (2016). "Qualitative research methods: when to use them and how to judge them." *Human Reproduction*. 31 (3): 498–501. doi:10.1093/humrep/dev334.
34. [^]Moss AS, Reibel DK, Greeson JM, et al. (2015). "An Adapted Mindfulness-Based Stress Reduction Program for Elders in a Continuing Care Retirement Community: Quantitative and Qualitative Results From a Pilot Randomized Controlled Trial." *Journal of Applied Gerontology*. 34 (4): 518–538. doi:10.1177/0733464814559411.
35. [^]de Vibe M, Bjørndal A, Fattah S, Dyrdal GM, Halland E, Tanner-Smith EE (2017). "Mindfulness-based stress reduction (MBSR) for improving health, quality of life and social functioning in adults: a systematic review and meta-analysis." *Campbell Systematic Reviews*. 13 (1): 1–264. doi:10.4073/csr.2017.11.
36. [^]Choe EY, Jorgensen A, Sheffield D (2020). "Does a natural environment enhance the effectiveness of Mindfulness-Based Stress Reduction (MBSR)? Examining the mental health and wellbeing, and nature connectedness benefits." *Landscape and Urban Planning*. 202: 103886. doi:10.1016/j.landurbplan.2020.103886.
37. [^]Crowe M, Jordan J, Burrell B, Jones V, Gillon D, Harris S (2016). "Mindfulness-based stress reduction for long-term physical conditions: A systematic review." *Australian & New Zealand Journal of Psychiatry*. 50 (1): 21–32. doi:10.1177/0004867415607984.
38. [^]Alsubaie M, Abbott R, Dunn B, Dickens C, Keil TF, Henley W, Kuyken W (2017). "Mechanisms of action in mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR) in people with physical and/or psychological conditions: A systematic review." *Clinical Psychology Review*. 55: 74–91. doi:10.1016/j.cpr.2017.04.008.
39. [^]Cladder-Micus MB, Vrijzen JN, Fest A, et al. (2023). "Follow-up outcomes of Mindfulness-Based Cognitive Therapy (MBCT) for patients with chronic, treatment-resistant depression." *Journal of Affective Disorders*. 335: 410–417. doi:10.1016/j.jad.2023.05.023.
40. [^]Maloney S, Montero-Marin J, Kuyken W (2023). "Pathways to mental well-being for graduates of mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR): A mediation analysis of an RCT."

Psychotherapy Research: Journal of the Society for Psychotherapy Research. pp. 1–12.

doi:10.1080/10503307.2023.2269299.

41. [^]Huynh T, Hatton-Bowers H, Howell Smith M (2019). "A Critical Methodological Review of Mixed Methods Designs Used in Mindfulness Research." *Mindfulness*. 10 (5): 786–798. doi:10.1007/s12671-018-1038-5.
42. [^]Choi E, Farb N, Pogrebtsova E, Gruman J, Grossmann I (2021). "What do people mean when they talk about mindfulness?" *Clinical Psychology Review*. 89: 102085. doi:10.1016/j.cpr.2021.102085.