Open Peer Review on Qeios

Stage IV Lip Cancer AJCC v6 and v7

National Cancer Institute

Source

National Cancer Institute. <u>Stage IV Lip Cancer AJCC v6 and v7</u>. NCI Thesaurus. Code C5879.

Stage IV includes: IVA (T4a, N0, M0); (T4a, N1, M0); (T1, N2, M0); (T2, N2, M0); (T3, N2, M0); (T4a, N2, M0);. IVB (Any T, N3, M0); (T4b, Any N, M0); IVC (Any T, Any N, M1). T4a (lip): T umor invades through cortical bone, inferior alveolar nerve, floor of mouth, or skin of face, i.e., chin or nose. T4b: T umor invades masticator space, pterygoid plates, or skull base and/or encases internal carotid artery. N2: Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension; or in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension. N2a: Metastasis in a single ipsilateral lymph node more than 3 cm but not more than 6 cm in greatest dimension. N2a: Metastasis in a single ipsilateral lymph node more than 6 cm in greatest dimension. N2a: Metastasis in a single ipsilateral lymph node more than 3 cm but not more than 6 cm in greatest dimension. N2a: Metastasis in a single ipsilateral lymph node more than 3 cm but not more than 6 cm in greatest dimension. N2a: Metastasis in a single ipsilateral lymph node more than 3 cm but not more than 6 cm in greatest dimension. N1a: Metastasis in a lymph nodes, none more than 6 cm in greatest dimension. N1: Distant metastasis. (AJCC 6th and 7th eds.)