Review of: "The speed of propagation of waves in CNTs and GNRs can be 100 times lower than its speed in vacuum, and this is related to the physical structure, temperature and energy"

Rachel Harisson¹

1 Liver Institute Northwest

Potential competing interests: No potential competing interests to declare.

The use of graphene helps to solve this problem to a great extent. The speed of propagation of waves in CNTs and GNRs can be 100 times lower than its speed in vacuum, and this is related to the physical structure, temperature and energy. Based on this, the resonance frequency of graphene-based nano-antennas can be two orders of magnitude lower than nano-antennas based on nano-carbon materials. It has been mathematically and theoretically proven that a quasi-metallic carbon nanotube can emit terahertz radiation when a time-varying voltage is applied to its sides. One of the most important parameters of any nano antenna is the current distribution on it. This characteristic determines the radiation pattern, radiation resistance and reactance and many important characteristics of the antenna. Despite the possibilities of making nanotubes with a length of several centimeters, it is possible to make electrical conductors with a length-to-width ratio of the order of 10^7. has it. At first glance, nanotube antennas give us the impression that they are similar to Dipole antennas designed in small dimensions. But in fact, it is not the case in the main theory of Dipole antennas to determine the distribution of current on the antenna, where the Dipole radius is larger than the skin depth and also the resistance losses are so low that they can be ignored. Due to the fact that the nanodipole L/d has been reduced significantly, it becomes unusable . In one-dimensional electrical conductors such as nanotubes, the skin-depth mode is completely eliminated. Because here the electrons are only allowed to move along the length of the conductor, and therefore the current distribution is effectively one-dimensional. In addition to the fact that electrons move in only one dimension, two important Dicker problems also occur, large inductance and resistance. These characteristics create a very different behavior for nanotube antennas compared to classical antennas. The main difference is that the current distribution is alternating with a wavelength that is 100 times smaller than the free space wavelength for a certain thermal frequency. The wavelength of current distribution depends on the wave speed in that mode. If the speed of the wave is the same as the speed of light, the wavelength of the current distribution is the wavelength of electromagnetic waves in free space.

On the other hand, the wave speed in nanotubes is about one hundred times lower than the speed of light. This is because in circuit theory, the wave speed is equal to the inverse of the square root of the capacitive capacitance per unit length multiplied by the inductive capacitance per unit length.

[1][2][3][4][5][6][7][8][9][10][11][12][13][14][15][16][17][18]

References

- 1. [^]Afshin Rashid. (2024). <u>MEMS Bio Has a Wide Range of Applications in Environmental and Drug Screening and DNA</u> <u>Fragmentation</u>. doi:10.22541/au.172296308.82234621/v1.
- [^]Afshin Rashid. (2024). <u>Cadmium Selenide (CdSe) NanoBio Sensors for Detection of Cancer Tumors Using</u> <u>Fluorescence Characteristics.</u> doi:10.22541/au.172296281.16229663/v1.
- Afshin Rashid. (2024). <u>Genome Nano Biochip</u>, <u>a Bioelectronic</u> and <u>Microarray Device</u>. doi:10.22541/au.172296169.96227926/v1.
- 4. [^]Afshin Rashid. (2024). <u>Biological (Nano-Electro Sensors) and Lab on a Chip Micro-Elements of Diagnostic</u> <u>Laboratories</u>. doi:10.22541/au.172296107.70762266/v1.
- 5. [^]Afshin Rashid. (2024). <u>Nano-Biosensors and Nano-Biochips in Moving Nano-Particle Molecules Through Dielectric</u> <u>Enhancement Through Vertical Nano-gap Architectures.</u> doi:10.22541/au.172295948.88883264/v1.
- Afshin Rashid. (2024). <u>Electrical Nano Biosensors and Measurement of Biological Responses</u>. doi:10.22541/au.172295942.21051561/v1.
- Afshin Rashid. (2024). <u>NEMS and nanotechnologies with high aspect ratio (LIGA-like and LIGA) or (high-aspect ratio</u>). doi:10.22541/au.172288387.75232996/v1.
- Afshin Rashid. (2024). Changing some properties such as conductivity in electromagnetic properties in nanowires. doi:10.22541/au.172288374.46450261/v1.
- 9. [^]Afshin Rashid. (2024). <u>Nanoantennas distribution of alternating current (with a wavelength that is 1 · · times smaller</u> <u>than the wavelength of free space).</u> doi:10.22541/au.172252443.39312846/v1.
- [^]Afshin Rashid. (2024). <u>Nano Bio Electronic Sensors (Nano Bio Electronic) in The Form of Nano Electronic</u> <u>Technology That Has Dedicated Some Very Exciting Materials To Them To improve The Sensing Phenomenon.</u> doi:10.22541/au.172245271.10631354/v1.
- 11. [^]Afshin Rashid. (2024). <u>"Electrochemical nano-sensors" and Absorption voltammetry method surface nanomolecules</u> (<u>Stripping Adsorption Voltammetry</u>). doi:10.22541/au.172244477.79574977/v1.
- 12. [^]Afshin Rashid. (2024). <u>One-dimensional nanostructures, the possibility of improving the electrical-optical properties of</u> <u>nano-electronic par.</u> doi:10.22541/au.172244474.40776381/v1.
- [^]Afshin Rashid. (2024). <u>Nanochemical electrochemical sensors and a method called as say sandwich component</u> <u>Three.</u> doi:10.22541/au.172244470.02817145/v1.
- 14. [^]Afshin Rashid. (2024). <u>Getting to know more and introducing different components and units of microcontrollers</u>. doi:10.22541/au.172244379.92127113/v1.
- 15. [^]Afshin Rashid. (2024). <u>Active Nano Diamond Particles, Having Special Electronic Features, Are The Founders Of</u> <u>Completely New Types Of High-power Nano Electronic Devices.</u> doi:10.22541/au.172244363.34443409/v1.
- 16. Afshin Rashid. (2024). (Nano Telecommunication) Nanotube Antennas (CNTs) or Multilayer and Graphene Nano

Tape (GNRs). doi:10.22541/au.172244263.36838419/v1.

- 17. [^]Afshin Rashid. (2024). <u>A complete review of (nano bioelectrical nano biosensors) and stripping adsorption</u> voltammetry method of surface nano molecules. <u>.</u> doi:10.22541/au.172244253.39644899/v1.
- 18. [^]Afshin Rashid. (2024). <u>Nano-plasmonic and nanoelectronic pattern is one of the miniaturization techniqu</u>. doi:10.22541/au.172228044.44036354/v1.