

[Open Peer Review on Qeios](#)

EEG-based Emotion Classification using Deep Learning: Approaches, Trends and Bibliometrics

Angad Tathgir, Chandra Mani Sharma¹, Vijayaraghavan M Chariar¹

¹ Indian Institute of Technology Delhi

Funding: No specific funding was received for this work.

Potential competing interests: No potential competing interests to declare.

Abstract

Emotion classification has emerged as a critical area of research, holding immense significance in the understanding of human behaviour, mental health, and social interactions. The increasing recognition of emotional well-being's crucial role in various domains, such as healthcare, psychology, and human-computer interaction, has driven substantial attention toward accurately classifying and analysing emotions. In this study, we conducted a comprehensive bibliometric analysis to unravel the scientific production and temporal evolution of research related to emotion classification. Leveraging the extensive Scopus database, we meticulously collected and meticulously analysed a diverse range of 440 articles on emotion classification from its inception to the present day. The application of advanced bibliometric measures has yielded vital insights into current trends, patterns, and characteristics in this field of study. Our data indicated an unexpected trend: an increase in research activity, especially after 2018. The understanding of how emotions impact human experiences and behaviour has advanced significantly. Researchers from several fields have emphasised the need of better understanding and describing emotions, resulting in a large rise in study output. However, there is still need for improvement in terms of agreement on emotion categorization assessment approaches and standardisation processes. It is difficult to compare and duplicate study findings due to a lack of precise assessment criteria. To address this problem, it's crucial for researchers to collaborate and develop a common knowledge. The aim of the paper is to widen our knowledge of emotions so that it can eventually result in policies being formed to improve our overall health. This knowledge could be implemented in psychological counselling and health promotion resulting in the development of closer social bonds.

Angad Tathgir¹, Chandra Mani Sharma², and Vijayaraghavan M Chariar²

¹ *Dhirubhai Ambani International School, BKC, Mumbai, India*

² *CRDT, Indian Institute of Technology Delhi, New Delhi, India*

Keywords: EEG data, deep learning, emotion classification, affective computing, brain computing.

1. Introduction

Physiological signals play a crucial role in detection and classification of emotions^{[1][2]}. Different physiological data that is important from the point of view of the emotion classification may include, electrodermal activity (EDA), electrocardiogram (ECG), electromyography, respiration rate, temperature, pupillometry, heart rate variability (HRV), functional near infrared spectroscopy (fNIRS), cortisol levels, electroencephalography (EEG), etc^{[1][2][3]}. Out of these modalities, EEG happens to be widely used for the detection of emotions. As EEG can capture temporal aspects and works at the milliseconds level. Furthermore, EEG can be processed in real-time providing immediate response and analysis^[4].

Emotions, integral to human interaction and decision-making, have been the focus of extensive research across disciplines such as psychology, cognitive science, and neuroscience^{[1][2][3][4]}. EEG data can help researchers in capturing the temporal dynamics of emotional processes with promising accuracy and precision. As the interest in this field has burgeoned over the past few years, there is a compelling need for a comprehensive overview to guide future investigations and inform practical applications.

There has recently been a surge in interest in grasping and categorising human emotions. This topic of study has aroused a lot of interest^[1] due to its wide-ranging applications in healthcare, psychology, marketing^[2], and human-computer interaction. Electroencephalography (EEG) data^[3] stands out as a useful and non-intrusive tool for recording brain activity patterns among the several data sources utilised for emotion categorization. EEG data^[4] provides unique insights into the cognitive and emotional processes^[5] that contribute to our emotions by detecting electrical impulses caused by neural activity in the brain^[6]. To comprehend human behaviour and enhance interactions between humans and technology, we must first define emotions. This is quite important. This study will investigate several ways of mining and categorising emotions, with an emphasis on EEG data^[7]. To better understand why emotion categorization research is so important, we are searching for trends, breakthroughs, and research gaps. All for the sake of learning more about this enthralling subject and discovering its potential applications. We propose to investigate the issue of emotion categorization in this study, with an emphasis on using EEG data as a beneficial tool^[8]. By conducting a thorough analysis of existing research, our goal is to identify noteworthy trends and keywords that highlight areas in need of further investigation^[9]. We seek to advance this field by harnessing deep learning techniques, ultimately enhancing emotion classification^[10]. Our ultimate objective is to support the development of innovative applications in domains like healthcare, psychology, marketing, and human-computer interaction.

The surge in research on EEG-based emotion classification requires a structured analysis to navigate the expanding landscape. This paper provides insights on the recent developments and trends in the area of EEG-based emotion classification using deep learning. This paper addresses the following questions:

- What are the prominent trends in this field?
- Who are the key contributors?
- How has research evolved over time?
- What are the critical gaps and emerging themes?

- Moreover, we seek to understand the methodologies and findings of the most influential studies, fostering a deeper comprehension of the current state of EEG-based emotion classification.

The main purpose of this paper is two-fold: first, to conduct a bibliometric analysis of 440 papers from the Scopus database, discovering the intellectual structure and evolution of EEG-based emotion classification research; second, to provide a comparative review of the 26 studies within this domain, dissecting methodologies and outcomes to distil patterns, identify gaps, and pave the way for future investigations. The study of EEG-based emotion not only contributes to the theoretical foundations of affective neuroscience but also holds practical implications across various domains. Applications range from human-computer interaction and emotion-aware technology to clinical interventions for mood disorders. By synthesizing the current knowledge base, this study aims to offer insights that transcend academic boundaries and foster advancements with real-world impact.

Leveraging the power of bibliometrics, we employ advanced analytical tools to dissect the vast corpus of 499 papers. The methodology involves mapping co-authorship networks, analysing citation patterns, and identifying prolific authors and journals. Simultaneously, our comparative literature review employs a systematic approach, scrutinizing the methodologies and findings of 33 seminal studies to distil insights and trends. While our study encompasses a substantial dataset and employs robust analytical techniques, it is essential to acknowledge certain limitations. The scope of our bibliometric analysis is confined to papers available in the Scopus database, potentially omitting relevant contributions from other sources. Additionally, the comparative review focuses on a select subset of studies, necessitating cautious generalization. In conclusion, this paper aspires to provide a comprehensive synthesis of EEG-based emotion classification research. By intertwining a meticulous bibliometric analysis with a detailed comparative review, we aim to unravel the past, present, and future trajectories of this burgeoning field, contributing to both academic discourse and practical applications. As we embark on this journey, the thesis statement emerges: a nuanced understanding of the intellectual landscape and methodological nuances that define EEG-based emotion classification.

2. EEG-based Emotion Classification using Deep Learning

In addition to the scholarly articles mentioned earlier, several other notable publications from specific years were studied for the bibliometric analysis of emotion classification. One informative review article focused on the advancements and challenges in using deep learning methods for emotion classification ^[1]. This article discussed the utilisation of convolutional neural networks, recurrent neural networks, and attention mechanisms ^[11]. Starting from the single channel and subjective emotion classification, the field is advancing towards multi-channel and multi-subject settings ^{[12][13]}. A range of physiological signals, facial expressions, and voice analysis can be integrated into systems designed to recognize emotions ^{[14][15][16]}. A capsule network architecture was proposed in ^[16] for a cross-subject and multi-channel recognition of emotions using EEG. In another work, neural nets and sparse autoencoders have been used for emotion classification in EEG data ^[17]. Attention mechanism has also been used on a variety of tasks and classifying the acquired EEG data ^{[13][17]}.

Table 1. Comparative Analysis and Review of Recent DL Techniques for EEG-based Emotion Classification

Authors	Reference	Dataset	Classification Technique	Results
Li et al. (2022)	[11]	DEAP	Residual GCB-Net	83.8% accuracy
Liu et al. (2020)	[12]	SEED	Multi-level features guided capsule network	82.3% accuracy
Tian et al. (2021)	[13]	DEAP	Personality first in emotion	83.3% accuracy
Kumari et al. (2022)	[14]	SEED	EmotionCapsNet	84.5% accuracy
Yin et al. (2021)	[15]	DEAP	Fusion model of GCN and LSTM	82.8% accuracy
Jana et al. (2022)	[16]	BCI Competition IV	Capsule neural networks	82.6% accuracy
Li et al. (2022)	[18]	SEED	Multi-task learning with capsule network and attention mechanism	83.5% accuracy
Demir et al. (2021)	[17]	SEED	Deep learning features	81.1% accuracy
Mehmood et al. (2017)	[19]	BCI Competition IV	Deep learning ensembles	80.7% accuracy
Zheng et al. (2014)	[20]	EEG Data	DBN	87.62% accuracy
Ahmed et al. (2021)	[21]	32 channel EEG Data	LSTM	85%
Battisti et al. (2023)	[22]	DEAP	CNN	Not stated
Li et al. (2022)	[23]	DEAP	Deep Learning Network with Label Smoothing (LS)	Increased by 1.34% in arousal, 2.28% in valence
Chakladar et al. (2018)	[24]	EEG Signal	Correlation based Subset selection + Higher Order Statistics	82%
Liu et al. (2020)	[25]	DEAP and SEED	CNN + SAE + DNN	DEAP 92.86% SEED 96.77%
Olamat et al. (2022)	[26]	SEED	Deep Learning (CNN: AlexNet, DenseNet-201, ResNet-101, ResNet50, AutoKeras)	99% (transfer learning), 100% (AutoKeras)
Seo et al. (2020)	[27]	EEG data from 30 Korean female AD patients	Multilayer Perceptron (MLP)	70.97% (MLP)
Li et al. (2015)	[28]	DEAP	DBN	Comparable to manually generated features
Mohammadpour et al. (2017)	[29]	Inner emotion EEG signals	ANN	Not stated
Chen et al. (2019)	[30]	DEAP	Deep CNN	3.58% higher than BT classifier in valence, 3.29% higher than BT in arousal
Rozgic et al. (2013)	[31]	DEAP	Non-parametric nearest neighbour model, Classification	"State of the art"
Nakisa et al. (2018)	[32]	Two Public Datasets (MAHNOB, DEAP), New Mobile EEG Dataset	Evolutionary Computation Algorithms (EC)	Improved Feature Selection, Maximised Performance
Gonzalez et al. (2019)	[33]	DEAP, DREAMER, Local Dataset (IAPS)	Independent Component Analysis, Unsupervised Learning, Convolutional Neural Network (CNN) with Transfer Learning	Valence: 70.26%, Arousal: 72.42%
Chai et al. (2022)	[34]	DEAP	Long Short-Term Memory-Recurrent Neural Network (LSTM-RNN)	Valence: 95.28%, Arousal: 96.17%

Acharya et al. (2021)	[35]	Not mentioned	CNN	87.72%
Garg et al. (2019)	[36]	DEAP	Merged LSTM model	Not mentioned

Traditional machine learning techniques such as ensemble learning methods [37][38], combined ML techniques [39], and hybrid strategies [40] have been extensively explored. Ensemble learning methods leverage the diversity of multiple classifiers to improve classification accuracy [37], while combined ML techniques integrate various machine learning algorithms to enhance the robustness of emotion recognition systems [39]. Hybrid strategies incorporate domain knowledge or integrate different types of data sources to optimize emotion classification performance [40].

In recent years, deep learning has emerged as a powerful paradigm for EEG-based emotion classification [41][38][42]. Spiking Neural Networks (SNN) [43], multi-label multitask adversarial learning [44], and joint adaptation network [45] are notable examples. SNNs mimic the behaviour of biological neurons, offering advantages in processing temporal data such as EEG signals [43]. Multi-label multitask learning, coupled with adversarial training, enables the model to handle multiple emotional states simultaneously while mitigating domain shift issues [44]. Joint adaptation networks leverage shared representations across domains to enhance generalization performance [45].

Furthermore, advancements in deep learning architectures have led to innovative models tailored for EEG-based emotion classification that can be used for cross domain emotion classification [46]. Models such as GRU with attention [47], cross-connected neural networks [48], and spatial and temporal CNNs [49] exhibit superior performance in capturing temporal dynamics and spatial dependencies within EEG data. Attention mechanisms enhance the model's capability to focus on relevant EEG segments, while cross-connected neural networks facilitate effective feature extraction and information propagation [47][48]. Multi-temporal spatial and temporal CNNs leverage both spatial and temporal information to extract discriminative features from EEG signals, improving classification accuracy [49].

Moreover, research endeavours have extended beyond EEG signals to explore multimodal approaches. Multimodal feature fusion [50] integrates information from multiple modalities, such as EEG and ECG signals, to enhance emotion recognition accuracy. Sentiment-aware word embedding [51], and image data [52] can be combined for sentiment analysis and emotion classification, offering a holistic understanding of emotional states.

Recent studies also address practical challenges such as real-time emotion classification and subliminal emotion detection. Real-time emotion classification of EEG streams in online learning environments [53][54] focuses on developing efficient algorithms capable of processing EEG data in real-time settings, crucial for applications like affective gaming and mental health monitoring. Subliminal emotion classification using entropy-based features [55] explores subtle cues in EEG signals for detecting latent emotional states, expanding the scope of emotion recognition applications.

In conclusion, EEG-based emotion classification has witnessed significant advancements, propelled by the integration of

traditional machine learning techniques and cutting-edge deep learning architectures. Future research directions may explore hybrid approaches combining multimodal data sources and address practical challenges in real-time emotion recognition and subliminal emotion detection.

3. Bibliometric Analysis

3.1. Data Sources and Tools

For the bibliometric analysis presented in this paper, the data was sourced from the Scopus research database. Scopus is a renowned database known for its comprehensive coverage of academic literature. Scopus served as the primary data source, facilitating a deep exploration and analysis of the existing corpus of research on emotion classification. This study aimed to unveil the evolutionary trajectory and prevailing trends in EEG-based emotion classification and use of ML/DL, with a primary focus on the DL approaches. The Biblioshiny analysis tool of R-Studio was used for the visual analysis of the dataset gathered from the Scopus database. The amalgamation of R-Studio's capabilities with the rich dataset yielded a plethora of insightful graphs and charts. These visual representations enabled an in-depth scrutiny of publication trends, citation patterns, influential authors, and salient research themes encompassing emotion classification.

3.2. Search Strategy

A bibliometric examination was undertaken in this work to analyse the research patterns in emotion categorisation. The study's data was sourced from Scopus, a vast database that indexes academic literature on a wide range of topics. Scopus includes journals, conference papers, books chapters, etc., making it an ideal source for bibliometric analysis.

To ensure the relevance of the papers collected, specific keywords related to classification were used in the search. These keywords were selected based on their frequent usage in the literature and their direct connection to the subject matter, providing a comprehensive representation of relevant research. Following is the set of keywords that considers the colloquial and spelling variations.

```
{“Electroencephalography” OR “electroencephalogram” OR “EEG”} AND {“classification” OR “recognition” OR “categorization”} AND {“deep learning” OR “neural net*”}
```

To focus exclusively on English language research articles, the analysis excluded non-English papers. Additionally, other document types like editorials, book reviews, and letters were not considered to ensure that only primary research articles were included. The bibliometric analysis relied on a total of 440 papers published between 2007 and 2023 (28th of June) to identify research patterns in emotion classification.

Analysis Methodologies

Researchers studying the classification of emotions utilise methods to thoroughly analyse the literature. One valuable

approach is co analysis, which examines collaboration patterns among researchers to identify influential authors, prominent research groups and fruitful partnerships, in the field. By studying networks of co authorship researchers gain an understanding of how knowledge is shared, and collaborative efforts are made in emotion classification. It is crucial to understand the impact and influence of publications in this field and citation analysis plays a role in achieving this goal. It helps identify cited papers and influential authors providing insights into works and visionary leaders who have significantly shaped this discipline. Such analysis allows researchers to trace the lineage and evolution of ideas in emotion classification uncovering contributions and significant milestones. Keyword analysis is another method used in analysis, which helps researchers examine keyword frequency and how they co occur within the literature. This exploration reveals themes, emerging trends as well as research directions, within the realm of emotion classification. This results in researchers gaining important insights in the field and allows them to stay current in an ever-evolving subject. For example, co-citation analysis allows the evaluation of the relationships between concepts and publications to occur in greater detail. Furthermore, to better comprehend emotional categorisation, co-citation analysis further highlights research topics and commonly referred works. By using ceiling analysis, thematic and semantic relationships between words or phrases may be identified which could be used to explore connections between fields.

Keyword Analysis

Table 2. Key terms and their frequency

Words	Occurrences
electroencephalography	433
emotion recognition	237
biomedical signal processing	205
classification (of information)	177
emotion classification	172
speech recognition	151
emotion	145
deep learning	144
human	113
electrophysiology	106
brain	104
machine learning	83
learning systems	76
electroencephalogram	74
emotions	73
feature extraction	73
article	70
brain computer interface	69
convolutional neural networks	69
electroencephalogram signals	66
humans	66
convolutional neural network	61
convolution	59
support vector machines	58
long short-term memory	56

Noteworthy research directions were explored by analysing trending reviews which consisted of highly cited papers on topics such as "advanced learning methodologies for emotion recognition" and "human machine interaction".

3.3. Results

The year-wise scientific production of the published research has been depicted in Figure 1. The first article in the area was published in year 2007. There has been a significant increase in research and interest in emotion classification since 2018. This indicates a growing focus on improving our understanding of emotion classification in recent years.




Figure 1. Annual scientific production of the published research.




Figure 2. Top cited authors in the field.

As seen in Figure 2, Arbeu JP is also considered as the author with the greatest number of local citations, emphasising his contributions to the scientific community. Teo J is another author who has proven proficiency and involvement in emotion classification. Both have gained great acclaim for their contributions to the discipline of emotion classification.




Figure 3. Most relevant (productive) authors in the filed.

Country Scientific Production




Figure 4. Country-specific scientific production.

Figure 4 depicts that in the realm of emotion classification research, a China is the major contributor. This discovery magnifies the prominent role and formidable contribution of China in shaping the landscape of this dynamic field. With an abundance of papers hailing from this progressive nation, it becomes evident that China exhibits an unwavering dedication and passionate involvement in the pursuit of knowledge and enlightenment within the area of emotion classification.

The analysis of scholarly articles on the categorization of emotions worldwide revealed a significant increase in annual production. Figure 5 shows the country-specific research outcome in the field. The top countries, contributing in the field, are namely, China, India, Korea, Malaysia, and the USA.




Figure 5. Country-specific research output over time in the field.

Figure 6 reveals that two sources, SENSORS, and IEEE ACCESS have emerged as highly relevant and influential in the field of emotion classification. Together, these sources have contributed 15 papers, highlighting their significant presence and impact in research. The substantial number of publications from IEEE ACCESS and SENSORS underscores their esteemed position as platforms for sharing research specifically focused on emotion classification. Researchers recognize these sources as invaluable channels for disseminating findings and advancing knowledge, demonstrated by their consistent expansion in publication output over the years. This continuous growth reflects their dedication to broadening the scope of emotion classification research and solidifies their reputation as leading outlets in the field. Figure 7 further shows the time-specific production of the top sources in the field.




Figure 6. Most productive sources.




Figure 7. Sources' publication output over time.

Using Lotka's Law, also known as the Inverse Square Law, we examined how authors contribute to the field of emotion

classification by analysing the number of articles they published (Figure 8). The results confirmed Lotka's Law and revealed a concentration of highly productive authors alongside a long tail of less prolific ones. The data strongly supports this law, showing that there is an exponential decrease in author frequency as the number of articles published increases. Interestingly, authors who only published one article made up around 80% of the total authors. On the other hand, as the number of articles per author increased, their frequency sharply declined, with only a small group contributing multiple articles. The distribution of author productivity within the field of emotion classification supports the applicability of Lotka's Law.




Figure 8. Assessment of author's productivity using Lotka's law.

As seen in Figure 9, the term "electroencephalography" was observed to appear 433 times in the scrutinised papers on emotion classification. This demonstrates the frequent application of electroencephalography as a method or technique in examining and analysing emotions. Electroencephalography, which measures brain activity through electrodes positioned on the scalp, has emerged as a valuable instrument in comprehending the neural underpinnings of emotions. The substantial recurrence of its usage underscores the importance of electroencephalography in the domain of emotion classification and its pertinence in exploring the physiological facets of emotions.




Figure 9. Most frequent words.




Figure 10. Trend topics in the field.

By meticulously examining keywords and themes embedded within the collected papers, the most profound and impactful

topics in emotion classification were unveiled (Figure 10). This approach not only bestowed upon us invaluable insights but also illuminated the ever-evolving landscape of emotion classification research. With each paper, a panoramic view of the current research trends and laser-focused areas of exploration vividly materialised, painted a comprehensive tapestry of comprehension and understanding.

4. Discussion

In this elaborate and exhaustive analysis, we delved deep into emotion classification papers sourced from diverse online databases. This allowed us to examine the current trends and advancements in this captivating field. As we meticulously combed through the literature, certain keywords kept popping up like, "emotion recognition," "machine learning," "affective computing," and "natural language processing." These little powerhouses underpin the very foundation of emotion classification research. Our investigation unveiled a prevailing movement towards embracing cutting-edge deep learning methodologies and the fusion of multimodal data techniques. Our analysis zoomed in on specific domains where emotion classification is making waves, particularly in the realms of healthcare and human computer interaction. The remarkable significance and incredible impact of emotion classification emerges from these distinct and unwavering patterns. Our findings seamlessly coincide with prevailing research themes, affirming the vibrant and rapid evolution that defines this captivating field. The practical implications and far-reaching potential it hold are impossible to ignore.

5. Conclusion

In conclusion, the analysis of emotion classification research through bibliometrics provides valuable insights into the field. The findings show a surge in research activity starting from 2018, indicating a growing interest in this topic. Notably, Arbeu Jp is the most cited author, and China has made significant contributions with the highest number of papers. The influential sources identified are IEEE Access and Sensors. By applying Lotka's Law, it's evident that there is a concentration of prolific authors in this field. The frequent mention of "electroencephalography" highlights its relevance in understanding emotions. The keyword analysis sheds light on the prevailing research topics in emotion classification. These findings collectively showcase a vibrant and dynamic research landscape within emotion classification. Researchers, policymakers, and practitioners can utilise this information to gain a comprehensive understanding of the field, identify influential authors and sources, recognize emerging research themes, and ultimately contribute to the progress of emotion classification research.

References

1. [a, b, c, d, e](#) Hamada, Mohamed, B. B. Zaidan, and A. A. Zaidan. "A Systematic Review for Human EEG Brain Signals Based Emotion Classification, Feature Extraction, Brain Condition, Group Comparison." *Journal of Medical Systems* 42, no. 9 (July 24, 2018). <https://doi.org/10.1007/s10916-018-1020-8>.
2. [a, b, c, d](#) Yan, MaoSong, Zhen Deng, BingWei He, ChengSheng Zou, Jie Wu, and ZhaoJu Zhu. "Emotion classification

- with multichannel physiological signals using hybrid feature and adaptive decision fusion." *Biomedical Signal Processing and Control* 71 (2022): 103235.
3. ^{a, b, c}Krishna, Anala Hari, Aravapalli Bhavya Sri, Kurakula Yuva Venkata Sai Priyanka, Sachin Taran, and Varun Bajaj. "Emotion Classification Using EEG Signals Based on Tunable-Q Wavelet Transform." *IET Science, Measurement & Technology* 13, no. 3 (May 1, 2019): 375–80. <https://doi.org/10.1049/iet-smt.2018.5237>.
 4. ^{a, b, c}Bajaj, Varun, Sachin Taran, and Abdulkadir Sengur. "Emotion Classification Using Flexible Analytic Wavelet Transform for Electroencephalogram Signals." *Health Information Science and Systems* 6, no. 1 (September 18, 2018). <https://doi.org/10.1007/s13755-018-0048-y>.
 5. [^]Fang, Yinfeng, Haiyang Yang, Xuguang Zhang, Han Liu, and Bo Tao. "Multi-Feature Input Deep Forest for EEG-Based Emotion Recognition." *Frontiers in Neurobotics* 14 (January 11, 2021). <https://doi.org/10.3389/fnbot.2020.617531>.
 6. [^]Ismael, Aras M., Ömer F. Alçin, Karmand Hussein Abdalla, and Abdulkadir Şengür. "Two-Stepped Majority Voting for Efficient EEG-Based Emotion Classification." *Brain Informatics* 7, no. 1 (September 17, 2020). <https://doi.org/10.1186/s40708-020-00111-3>.
 7. [^]Issa, Sali, Qinmu Peng, and Xinge You. "Emotion Classification Using EEG Brain Signals and the Broad Learning System." *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 2020, 1–10. <https://doi.org/10.1109/tsmc.2020.2969686>.
 8. [^]Bălan, Oana, Gabriela Moise, Livia Petrescu, Alin Moldoveanu, Marius Leordeanu, and Florica Moldoveanu. "Emotion Classification Based on Biophysical Signals and Machine Learning Techniques." *Symmetry* 12, no. 1 (December 20, 2019): 21. <https://doi.org/10.3390/sym12010021>.
 9. [^]Feng, Huanghao, Hosein M. Golshan, and Mohammad H. Mahoor. "A Wavelet-Based Approach to Emotion Classification Using EDA Signals." *Expert Systems with Applications* 112 (December 2018): 77–86. <https://doi.org/10.1016/j.eswa.2018.06.014>.
 10. [^]Purpura, Alberto, Chiara Masiero, Gianmaria Silvello, and Gian Antonio Susto. "Feature Selection for Emotion Classification." *CEUR Workshop Proceedings* 2441 (2019): 47–48. <https://www.mendeley.com/catalogue/0faab302-b061-31bd-a62d-26d9a565d016/>
 11. ^{a, b}Li, Qilin, Tong Zhang, CL Philip Chen, Ke Yi, and Long Chen. "Residual GCB-Net: Residual graph convolutional broad network on emotion recognition." *IEEE Transactions on Cognitive and Developmental Systems*, 2022, 15(4), 1673-1685. Accessed December 10, 2023. <https://ieeexplore.ieee.org/abstract/document/9698117>.
 12. ^{a, b}Liu, Yu, Yu-Feng Ding, Chang Ming Li, Juan Cheng, Rencheng Song, Thomas Rades, and Xun Chen. "Multi-Channel EEG-Based Emotion Recognition via a Multi-Level Features Guided Capsule Network." *Computers in Biology and Medicine* 123 (August 1, 2020): 103927–27. <https://doi.org/10.1016/j.combiomed.2020.103927>.
 13. ^{a, b, c}Tian, Zhihang, Dongmin Huang, Sijin Zhou, Zhidan Zhao, and Dazhi Jiang. "Personality First in Emotion: A Deep Neural Network Based on Electroencephalogram Channel Attention for Cross-Subject Emotion Recognition." *Royal Society Open Science* 8, no. 8 (August 2021): 201976. <https://doi.org/10.1098/rsos.201976>.
 14. ^{a, b}Kumari, Nandini, Shamama Anwar, and Vandana Bhattacharjee. "Time Series-Dependent Feature of EEG Signals for Improved Visually Evoked Emotion Classification Using EmotionCapsNet." *Neural Computing and Applications* 34,

- no. 16 (February 9, 2022): 13291–303. <https://doi.org/10.1007/s00521-022-06942-x>.
15. ^{a, b}Yin, Yongqiang, Xiangwei Zheng, Bin Hu, Yuang Zhang, and Xinchun Cui. "EEG Emotion Recognition Using Fusion Model of Graph Convolutional Neural Networks and LSTM." *Applied Soft Computing* 100 (March 2021): 106954. <https://doi.org/10.1016/j.asoc.2020.106954>.
 16. ^{a, b, c}Jana, Gopal Chandra, Anshuman Sabath, and Anupam Agrawal. "Capsule Neural Networks on Spatio-Temporal EEG Frames for Cross-Subject Emotion Recognition." *Biomedical Signal Processing and Control* 72 (February 2022): 103361. <https://doi.org/10.1016/j.bspc.2021.103361>.
 17. ^{a, b, c}Demir, Fatih, Nebras Sobahi, Siuly Siuly, and Abdulkadir Sengur. "Exploring deep learning features for automatic classification of human emotion using EEG rhythms." *IEEE Sensors Journal* 21, no. 13 (2021): 14923-14930.
 18. [^]Li, Chang, Bin Wang, Silin Zhang, Yu Liu, Rencheng Song, Juan Cheng, and Xun Chen. "Emotion Recognition from EEG Based on Multi-Task Learning with Capsule Network and Attention Mechanism." *Computers in Biology and Medicine* 143 (April 2022): 105303. <https://doi.org/10.1016/j.combiomed.2022.105303>.
 19. [^]Mehmood, Raja Majid, Ruoyu Du, and Hyo Jong Lee. "Optimal feature selection and deep learning ensembles method for emotion recognition from human brain EEG sensors." *IEEE Access*, 5 (2017): 14797-14806.
 20. [^]Zheng, Wei-Long, Jia-Yi Zhu, Yong Peng, and Bao-Liang Lu. "EEG-based emotion classification using deep belief networks." In *2014 IEEE international conference on multimedia and expo (ICME)*, pp. 1-6. IEEE, 2014. Accessed December 10, 2023. <https://ieeexplore.ieee.org/abstract/document/6890166>.
 21. [^]Ahmed, Md Zaved Iqbal, and Nidul Sinha. "EEG-based emotion classification using LSTM under new paradigm." *Biomedical Physics & Engineering Express* 7, no. 6 (2021): 065018. <https://iopscience.iop.org/article/10.1088/2057-1976/ac27c4/meta>.
 22. [^]Battisti, Lorenzo, Alessio Ferrato, Carla Limongelli, Mauro Mezzini, and Giuseppe Sansonetti. "Deep Learning Based Emotion Classification through EEG Spectrogram Images." *SOCIALIZE 2023* (2023).
 23. [^]Li, Zhengping, Hongsheng Xia, and Lijun Wang. "EEG Emotion Classification and Correlation Research Based on Deep Learning." In *Journal of Physics: Conference Series*, vol. 2384, no. 1, p. 012043. IOP Publishing, 2022.
 24. [^]Chakladar, Debashis Das, and Sanjay Chakraborty. "EEG Based Emotion Classification Using Correlation Based Subset Selection." *Biologically Inspired Cognitive Architectures* 24 (April 2018): 98–106. <https://doi.org/10.1016/j.bica.2018.04.012>.
 25. [^]Liu, Junxiu, Guopei Wu, Yuling Luo, Senhui Qiu, Su Yang, Wei Li, and Yifei Bi. "EEG-based emotion classification using a deep neural network and sparse autoencoder." *Frontiers in Systems Neuroscience* 14 (2020): 43.
 26. [^]Olamat, Ali, Pinar Ozel, and Sema Atasever. "Deep Learning Methods for Multi-Channel EEG-Based Emotion Recognition." *International Journal of Neural Systems*, April 2, 2022. <https://doi.org/10.1142/s0129065722500216>.
 27. [^]Seo, Jungryul, Teemu H. Laine, Gyuhwan Oh, and Kyung-Ah Sohn. "EEG-Based Emotion Classification for Alzheimer's Disease Patients Using Conventional Machine Learning and Recurrent Neural Network Models." *Sensors* 20, no. 24 (December 16, 2020): 7212. <https://doi.org/10.3390/s20247212>.
 28. [^]Li, Xiang, Dawei Song, Peng Zhang, Guangliang Yu, Yuexian Hou, and Bin Hu. "Emotion recognition from multi-channel EEG data through convolutional recurrent neural network." In *2016 IEEE international conference on bioinformatics and biomedicine (BIBM)*, pp. 352-359. IEEE, 2016.

29. [^] Mohammadpour, Mostafa, Seyyed Mohammad Reza Hashemi, and Negin Houshmand. "Classification of EEG-based emotion for BCI applications." In *2017 Artificial Intelligence and Robotics (IRANOPEN)*, pp. 127-131. IEEE, 2017.
30. [^] Chen, J. X., P. W. Zhang, Z. J. Mao, Y. F. Huang, D. M. Jiang, and Y. N. Zhang. "Accurate EEG-Based Emotion Recognition on Combined Features Using Deep Convolutional Neural Networks." *IEEE Access* 7 (2019): 44317–28. <https://doi.org/10.1109/access.2019.2908285>.
31. [^] Rozgić, Viktor, Shiv N. Vitaladevuni, and Rohit Prasad. "Robust EEG emotion classification using segment level decision fusion." In *2013 IEEE international conference on acoustics, speech and signal processing*, pp. 1286-1290. IEEE, 2013. Accessed December 10, 2023. <https://ieeexplore.ieee.org/abstract/document/6637858>.
32. [^] Nakisa, Bahareh, Mohammad Naim Rastgoo, Dian Tjondronegoro, and Vinod Chandran. "Evolutionary Computation Algorithms for Feature Selection of EEG-Based Emotion Recognition Using Mobile Sensors." *Expert Systems with Applications* 93 (March 2018): 143–55. <https://doi.org/10.1016/j.eswa.2017.09.062>.
33. [^] Gonzalez, Hector A., Jerald Yoo, and Ibrahim M. Elfadel. "EEG-Based Emotion Detection Using Unsupervised Transfer Learning." *IEEE Xplore*, July 1, 2019. <https://doi.org/10.1109/EMBC.2019.8857248>.
34. [^] Chai, Meei Tyng, Chuan Meng Goh, and Sayed Ahmad Zikri Sayed Aluwee. "Emotion recognition based on EEG directed functional connectivity using deep learning algorithm." In *2022 3rd International Conference on Artificial Intelligence and Data Sciences (AiDAS)*, pp. 192-197. IEEE, 2022. <https://ieeexplore.ieee.org/abstract/document/9918689>.
35. [^] Acharya, Divya, Riddhi Jain, Siba Prasada Panigrahi, Rahul Sahni, Siddhi Jain, Sanika Prashant Deshmukh, and Arpit Bhardwaj. "Multi-Class Emotion Classification Using EEG Signals," December 5, 2020, 474–91. https://doi.org/10.1007/978-981-16-0401-0_38.
36. [^] Garg, Anumit, Ashna Kapoor, Anterpreet Kaur Bedi, and Ramesh K. Sunkaria. "Merged LSTM Model for emotion classification using EEG signals." In *2019 International Conference on Data Science and Engineering (ICDSE)*, pp. 139-143. IEEE, 2019.
37. ^{a, b} Soman, Gayathri, M. V. Vivek, M. V. Judy, Elpiniki Papageorgiou, and Vassilis C. Gerogiannis. "Precision-Based Weighted Blending Distributed Ensemble Model for Emotion Classification." *Algorithms* 15, no. 2 (February 6, 2022): 55. <https://doi.org/10.3390/a15020055>.
38. ^{a, b} Chatterjee, Subhajit, and Yung-Cheol Byun. "EEG-Based Emotion Classification Using Stacking Ensemble Approach." *Sensors* 22, no. 21 (January 1, 2022): 8550. <https://doi.org/10.3390/s22218550>.
39. ^{a, b} Mohutsiwa, Lucky Odirile, and Rodrigo S. Jamisola. "EEG-Based Human Emotion Classification Using Combined Computational Techniques for Feature Extraction and Selection in Six Machine Learning Models." *IEEE Xplore*, May 1, 2021. <https://doi.org/10.1109/ICICCS51141.2021.9432207>.
40. ^{a, b} Nasser Aleisa, Hussah. "A Hybrid Strategy for Emotion Classification." *Indonesian Journal of Electrical Engineering and Computer Science* 21, no. 3 (March 10, 2021): 1400. <https://doi.org/10.11591/ijeecs.v21.i3.pp1400-1406>.
41. [^] Bulagang, Aaron Frederick, Ng Giap Weng, James Mountstephens, and Jason Teo. "A Review of Recent Approaches for Emotion Classification Using Electrocardiography and Electrodermography Signals." *Informatics in Medicine Unlocked* 20 (2020): 100363. <https://doi.org/10.1016/j.imu.2020.100363>.
42. [^] Teixeira, Felipe Lage, Miguel Rocha E. Costa, José Pio Abreu, Manuel Cabral, Salviano Pinto Soares, and João

- Paulo Teixeira. "A Narrative Review of Speech and EEG Features for Schizophrenia Detection: Progress and Challenges." *Bioengineering* 10, no. 4 (2023): 493.
43. ^{a, b}Luo, Yuling, Qiang Fu, Juntao Xie, Yunbai Qin, Guopei Wu, Junxiu Liu, Frank Jiang, Yi Cao, and Xuemei Ding. "EEG-Based Emotion Classification Using Spiking Neural Networks" 8 (March 4, 2020): 46007–16. <https://doi.org/10.1109/access.2020.2978163>.
44. ^{a, b}Lin, Nankai, Sihui Fu, Xiaotian Lin, and Lianxi Wang. "Multi-Label Emotion Classification Based on Adversarial Multi-Task Learning." *Information Processing & Management* 59, no. 6 (November 2022): 103097. <https://doi.org/10.1016/j.ipm.2022.103097>.
45. ^{a, b}Liu, Hong, Hong Guo, and Wei Hu. "EEG-based emotion classification using joint adaptation networks." In *2021 IEEE international symposium on circuits and systems (ISCAS)*, pp. 1-5. IEEE, 2021. <https://doi.org/10.1109/iscas51556.2021.9401737>.
46. ^aZeng, Rong, Hongzhan Liu, Sancheng Peng, Lihong Cao, Aimin Yang, Chengqing Zong, and Guodong Zhou. "CNN-based broad learning for cross-domain emotion classification." *Tsinghua Science and Technology* 28, no. 2 (2022): 360-369. <https://ieeexplore.ieee.org/document/9906014>.
47. ^{a, b}Chen, J. X., D. M. Jiang, and Y. N. Zhang. "A Hierarchical Bidirectional GRU Model with Attention for EEG-Based Emotion Classification." *IEEE Access* 7 (2019): 118530–40. <https://doi.org/10.1109/access.2019.2936817>.
48. ^{a, b}Dai, Jinxiao, Xugang Xi, Ge Li, and Ting Wang. "EEG-Based Emotion Classification Using Improved Cross-Connected Convolutional Neural Network." *Brain Sciences* 12, no. 8 (July 24, 2022): 977. <https://doi.org/10.3390/brainsci12080977>.
49. ^{a, b}Emsawas, Taweesak, Takashi Morita, Tsukasa Kimura, Ken-ichi Fukui, and Masayuki Numao. "Multi-Kernel Temporal and Spatial Convolution for EEG-Based Emotion Classification." *Sensors* 22, no. 21 (October 27, 2022): 8250. <https://doi.org/10.3390/s22218250>.
50. ^aKhateeb, Muhammad, Syed Muhammad Anwar, and Majdi Alnowami. "Multi-domain feature fusion for emotion classification using DEAP dataset." *IEEE Access* 9 (2021): 12134-12142. <https://ieeexplore.ieee.org/document/9321314>.
51. ^aMao, Xingliang, Shuai Chang, Jinjing Shi, Fangfang Li, and Ronghua Shi. "Sentiment-Aware Word Embedding for Emotion Classification." *Applied Sciences* 9, no. 7 (March 29, 2019): 1334. <https://doi.org/10.3390/app9071334>.
52. ^aRao, Tianrong, Xiaoxu Li, and Min Xu. "Learning Multi-Level Deep Representations for Image Emotion Classification." *Neural Processing Letters*, April 26, 2019. <https://doi.org/10.1007/s11063-019-10033-9>.
53. ^aFeng, Xiang, Yaojia Wei, Xianglin Pan, Longhui Qiu, and Yongmei Ma. "Academic Emotion Classification and Recognition Method for Large-Scale Online Learning Environment—Based on A-CNN and LSTM-ATT Deep Learning Pipeline Method." *International Journal of Environmental Research and Public Health* 17, no. 6 (March 16, 2020): 1941. <https://doi.org/10.3390/ijerph17061941>.
54. ^aNandi, Arijit, Fatos Xhafa, Laia Subirats, and Santi Fort. "Real-Time Emotion Classification Using EEG Data Stream in E-Learning Contexts." *Sensors* 21, no. 5 (January 1, 2021): 1589. <https://doi.org/10.3390/s21051589>.
55. ^aShi, Yanjing, Xiangwei Zheng, Min Zhang, Xiaoyan Yan, Tiantian Li, and Xiaomei Yu. "A Study of Subliminal Emotion Classification Based on Entropy Features." *Frontiers in Psychology* 13 (March 25, 2022).



<https://doi.org/10.3389/fpsyg.2022.781448>.