

Review of: "This one-dimensionality confers distinct electrical and optical properties. For one thing, this means that the electrons and photons in these nanowires experience "confined quantum effects.""

Jorge Gasperini¹

¹ University of Rome Tor Vergata

Potential competing interests: No potential competing interests to declare.

deposits can be grown with high lateral resolution , but with much less damage caused to the substrate due to the low linear motion of electrons compared to ions. In contrast, the growth rate and metal content of the deposits are generally used for focused ion beam nanolithography.

Note: Oligophenylene vanillin (silicon/germanium) structure nano wires and cylinders are used for possible applications in energy, electronics, optics and other fields.

Oligophenylene vanillin nanowires (Si Silicon / Germanium Gi) , narrow structures whose diameter is only a few billionths of a meter but thousands or millions of times longer. They exist in various forms—made of metals, semiconductors, insulators, and organic compounds—and are used for applications in the fields of electronics, energy conversion, optics, and chemical sensing. Because of their extreme thinness, Oligophenylene vanillin nanowires with a (Si Silicon / Germanium Gi) structure are essentially one dimensional. Nanowires are quasi-one-dimensional materials, "their two dimensions are on the nanometer scale." This one-dimensionality confers distinct electrical and optical properties. For one thing, this means that the electrons and photons in these nanowires experience "confined quantum effects." However, unlike other materials that produce such quantum effects, such as quantum dots, the length of Oligophenylene vanillin nanowires allows them to communicate with other macroscopic devices and the outside world. The main advantage of this technique is the selective growth of a material in the region of interest in one step. Due to the high resolution of the focused ion beam nanolithography technique , deposits can be grown with high lateral resolution , but with much less damage caused to the substrate due to the low linear motion of electrons compared to ions. In contrast, the growth rate and metal content of the deposits are generally used for focused ion beam nanolithography.

Note: Oligophenylene vanillin (silicon/germanium) structure nano wires and cylinders are used for possible applications in energy, electronics, optics and other fields.

[1][2][3][4][5][6][7][8][9][10][11][12][13][14][15][16][17][18][19][20][21][22][23][24][25][26][27][28][29][30][31][32][33][34]

References

1. ^ Lei Choe. (2024). *Review of: "The field-effect tunneling transistor nMOS, as an alternative to conventional CMOS by enabling the voltage supply (VDD) with ultra-low power consumption,"*. Qeios. doi:10.32388/z3oxov.
2. ^ Afshin Rashid. (2024). *Review of: "transistor nMOS (with ultra-low power consumption, energy-efficient computing, during the sub-threshold range)"*. Qeios. doi:10.32388/1al4jb.
3. ^ Afshin Rashid. (2023). *Review of: "High speed (doping) nMOS graphene transistor in p- and n-doping electronic circuits (positive and negative)"*. Qeios. doi:10.32388/jreu5m.
4. ^ Erkan Ozturk. (2023). *Review of: "(Nano transistor) Electronic and biological nanotechnology (Structure, internal building)"*. Qeios. doi:10.32388/bt5z8a.
5. ^ Linda Brouce. (2023). *Review of: "(Field effect nano transistors) Nano transistor electronic quantity"*. Qeios. doi:10.32388/12sgvj.
6. ^ Afshin Rashid. (2024). *Review of: "Nano supercapacitors (supercapacitors or electrochemical nanocapacitors)"*. Qeios. doi:10.32388/67gwcf.
7. ^ Afshin Rashid. (2024). *Review of: "FinFET nanotransistor downscaling causes more short channel effects, less gate control, exponential increase in leakage currents, drastic process changes and unmanageable power densities"*. Qeios. doi:10.32388/hx4oyk.
8. ^ Chad Allen. (2024). *Review of: "FinFET nanotransistor, the reduction of scale causes more short channel effects, less gate control, an exponential increase in leakage currents, severe process changes, and power densities"*. Qeios. doi:10.32388/h3qk7b.
9. ^ Afshin Rashid. (2023). *Review of: "Nano electrical memories and testing Nickel nanoparticles NI nanoparticle Strong conductors of electric current"*. Qeios. doi:10.32388/sbe8l8.
10. ^ Afshin Rashid. (2023). *Review of: "Reproduction (electrical nano memories) by the method combined nanolithography (12 V), Fast switching speed (1 microsecond)"*. Qeios. doi:10.32388/jg1x8x.
11. ^ Afshin Rashid. (2023). *Review of: "Experiment (nanoelectronic memory) using small organic molecules Chlorophyll pseudo instead of charge storage capacitors"*. Qeios. doi:10.32388/k0x2ro.
12. ^ Marcus Webster. (2024). *Review of: "Graphene molecular nanomemories show unique electronic properties, and their small dimensions, structural strength, and high performance make them a charge storage medium for Nano memory applications"*. Qeios. doi:10.32388/a6k2u7.
13. ^ Anita Gupta. (2023). *Review of: "Amplification of Nano Wires Nano Wire by Electron Nano Lithography"*. Qeios. doi:10.32388/l3md1n.
14. ^ Cita O,brain. (2023). *Review of: "The changes in the width of the nano transistor channel due to the field effect of the gate around can cause undesirable changes and loss of mobility"*. Qeios. doi:10.32388/5pxfk9.
15. ^ Afshin Rashid. (2023). *Review of: "(Field effect nano transistors) Nano transistor electronic quantity and ionization potential)"*. Qeios. doi:10.32388/464lg7.

16. ^ Afshin Rashid. (2023). *Review of: "The concept of (Nano assembler) in smart electronic nano structures".* Qeios. doi:10.32388/atyte1.
17. ^ Afshin Rashid. (2023). *Review of: "Oligophenylene vanillin (silicon/germanium) structured nanowires and cylinders for possible applications in electronic energy".* Qeios. doi:10.32388/i5wrmf.
18. ^ Afshin Rashid. (2023). *Review of: "Propagation of Oligophenylene vanillin nanowires by focused ion beam (FIB) nanolithography method (below 1 · nm - 1 · nm range)".* Qeios. doi:10.32388/whhfa8.
19. ^ Afshin Rashid. (2023). *Review of: "Nano wire immersion method (structure and function)".* Qeios. doi:10.32388/0od0gl.
20. ^ Carlos Sanchez. (2023). *Review of: "Oligophenylene vanillin (silicon/germanium) structure".* Qeios. doi:10.32388/59igyk.
21. ^ Andria Pandich. (2023). *Review of: "Nano wire immersion method (structure and performance)".* Qeios. doi:10.32388/efe18p.
22. ^ Andrea County. (2023). *Review of: "The concept of (Nano assembler)".* Qeios. doi:10.32388/xrrt0e.
23. ^ Luola Sendros. (2024). *Review of: "nMOS instead of exhibiting thermionic emission modulation, changes through a quantum tunnel modulation 12>; They change through a dam.".* Qeios. doi:10.32388/5sdms6.
24. ^ Lucas Jeferson. (2024). *Review of: "Graphene in nMOS field-effect transistors".* Qeios. doi:10.32388/1aozqy.
25. ^ Afshin Rashid. (2024). *Review of: "Many types of electrical nano-sensors using CP nanomaterials designed for nano-biological applications".* Qeios. doi:10.32388/lytuvb.
26. ^ Afshin Rashid. (2024). *Review of: "In general, an electrical nano-biosensor consists of an immobilized static biological system (based on their own built-in immobilized static biological system)".* Qeios. doi:10.32388/pq6ho0.
27. ^ Afshin Rashid. (2024). *Review of: "A combination of interference nanolithography and nanoelectronics lithography enables the fabrication and reproduction of high-resolution structures in large areas".* Qeios. doi:10.32388/qy3s52.
28. ^ Prienna Radochevich. (2024). *Review of: "Block nanolithography Oriented copolymer is a combination of top-down lithography and the bottom-up self-organization of two polymers to produce high-resolution nanopatterns over large areas".* Qeios. doi:10.32388/a0nexa.
29. ^ Prienna Radochevich. (2024). *Review of: "Block nanolithography Oriented copolymer is a combination of top-down lithography and the bottom-up self-organization of two polymers to produce high-resolution nanopatterns over large areas".* Qeios. doi:10.32388/a0nexa.
30. ^ Afshin Rashid. (2024). *Review of: "Nano supercapacitor called (electrostatic) -- The total thickness of each < i=4> electrostatic nanocapacitors only 25 nm".* Qeios. doi:10.32388/247k3y.
31. ^ Afshin Rashid. (2024). *Review of: "distribution of nanotubes by NIR-vis-UV absorption spectroscopy resulting in preparation like valence electrons (dopingP)".* Qeios. doi:10.32388/jg6x41.
32. ^ Afshin Rashid. (2024). *Review of: "Production of nano supercapacitors using nanoparticles (a piezoelectric and ferroelectric material)".* Qeios. doi:10.32388/c2juls.
33. ^ Afshin Rashid. (2024). *Review of: "bipolar transistors (pMOS) have a state voltage connected (Von) around 1 to 10 volts".* Qeios. doi:10.32388/c8zgvw.
34. ^ Afshin Rashid. (2024). *Review of: " Lindemann's change structure section in electrical nanostructures Lindemann*

[change / \(change structure\) in multilayer nanostructures". Qeios.](#) doi:[10.32388/ttqb0i](https://doi.org/10.32388/ttqb0i).