

Review of: "Enhancing Cocoa Crop Resilience in Ghana: The Application of Convolutional Neural Networks for Early Detection of Disease and Pest Infestations"

Genaro M. Soto-Zarazúa

Potential competing interests: No potential competing interests to declare.

Suggested comments are in bold and parenthesis in each section.

Enhancing Cocoa Crop Resilience in Ghana: The Application of Convolutional Neural Networks for Early Detection of Disease and Pest Infestations

Abstract

This study explores the revolutionary integration of Artificial Intelligence (AI), specifically Convolutional Neural Networks (CNNs), in combating cocoa disease and pest infestations in Ghana. As a significant stride towards sustainable agriculture and food security, the research explores AI's transformative impact on cocoa farming, a critical sector in Ghana's economy and the global chocolate supply. **The use of CNNs has emerged as a potent tool for accurate disease and pest detection, offering a new era of efficiency and precision in agricultural practices. [You could change this paragraph to the beginning]** The research was strategically focused on the practical applications of AI and CNNs in identifying and managing cocoa plant diseases and pests in Ghana, avoiding overly technical dissections of AI mechanisms. It aimed to illuminate the tangible, on-the-ground impacts of this technology and the transformative advancements it brings to the agricultural sector, particularly in cocoa farming. The effort involved gathering up-to-date information on AI nuances, CNN specifics and applications, and the dynamics of cocoa disease and pest detection. The study's results highlight the profound potential of AI to augment productivity in the Ghanaian cocoa industry. CNNs have proven to be a powerful tool in analyzing and interpreting agricultural data, providing unprecedented insights into crop health and development. **Furthermore, the capability of AI to enhance disease and pest detection has been recognized as critical in maintaining crop health and ensuring the sustainability of cocoa farming in the face of evolving challenges[Check the use of english]**. The study underscores the potential of AI in safeguarding food security and highlights its role as a powerful ally in addressing agricultural challenges through technological innovation.

1. Introduction

The application of Artificial Intelligence (AI), particularly Convolutional Neural Networks (CNNs), in cocoa disease and pest detection in Ghana represents a significant stride toward sustainable agriculture and food security. This article explores how AI is revolutionizing cocoa farming in Ghana, a country deeply rooted in cocoa production, by addressing the critical challenges of disease and pest infestation through advanced technology. The global agricultural sector is

increasingly turning to technological innovations to address its most pressing challenges, particularly in the realm of crop health and productivity. In recent years, the advent of Artificial Intelligence (AI) has marked a revolutionary shift in this field. Specifically, the application of Convolutional Neural Networks (CNNs) has emerged as a potent tool for disease and pest detection, heralding a new era in agricultural practices (Yu et al., 2021). Ghana, a country with a deeply rooted history in cocoa production, stands at the forefront of this transformation. Cocoa, being a cornerstone of Ghana's economy and a vital component of the global chocolate industry, faces significant threats from various diseases and pests. These threats, if not identified and managed promptly, can lead to catastrophic crop losses and, by extension, severe economic repercussions for farmers and the nation (D. Li et al., 2020).

The integration of AI, through CNNs, in detecting these agricultural adversities in Ghana's cocoa farms is an exciting development that carries the potential to significantly alter the landscape of cocoa farming. By offering a more efficient, accurate, and accessible means of maintaining crop health, this technology not only promises to enhance productivity but also to ensure the sustainability of cocoa farming in the face of evolving challenges (da Silva et al., 2021). Moreover, as this technology advances and becomes more accessible, its implications are not confined to Ghana alone. The successful application of CNNs in cocoa disease and pest detection sets a precedent for agricultural innovation worldwide, positioning Ghana as a pioneer in this domain. This not only underscores the potential of AI in safeguarding food security but also highlights its role as a powerful ally in the global quest to address agricultural challenges through technological innovation (Grünig et al., 2021a). The backdrop of this study is set against a global shift towards technologically-driven agricultural practices, with a specific focus on the application of AI in enhancing cocoa farming in Ghana. **This study aims to delve into the intricacies of this technological application, assess its impact, and explore its broader implications for the future of agriculture both in Ghana and around the world.***[The aim of the manuscript should be mentioned at the end of the introduction.]*

Cocoa farming, a critical pillar of Ghana's economy and a significant contributor to the global chocolate industry, is currently facing formidable challenges that threaten *[It is necessary to make the connection between these two paragraphs]* its sustainability and productivity. The prevalence of diseases and pests, such as the devastating black pod disease, cocoa swollen shoot virus, and various pest infestations, can lead to substantial crop damage and yield losses. Traditional methods of detecting and managing these threats are often labor-intensive, time-consuming, and rely heavily on the expertise of agricultural specialists, making them less efficient and sometimes ineffective in addressing these issues promptly and accurately. The manual approach to disease and pest detection is not only resource-intensive but also prone to human error, leading to misdiagnosis or delayed treatment, further exacerbating the problem. This situation is compounded by the variable and often unpredictable nature of field conditions in different cocoa-growing regions, which adds another layer of complexity to the accurate identification and management of these agricultural threats (Grünig et al., 2021b).

In addition to the direct challenges associated with disease and pest detection, Ghanaian cocoa farmers often lack access to the necessary technology and knowledge resources to effectively combat these issues. The digital divide and a lack of technical training mean that the potential benefits of innovative solutions are not fully realized, leaving farmers vulnerable to continued crop losses and the resultant economic instability (Rahman et al., 2018).

The advent of Artificial Intelligence, particularly Convolutional Neural Networks (CNNs), presents a promising solution to these challenges. However, the successful integration and adoption of this technology in cocoa farming practices in Ghana is not without its obstacles. Issues such as the need for extensive and diverse data for model training, ensuring the robustness of models against the variability of field conditions, and making the technology accessible and user-friendly for farmers are critical concerns that need to be addressed. Given the pivotal role of cocoa in Ghana's economy and the potential global implications, there is an urgent need to explore and address these challenges. [It might be necessary to add general but relevant information about how this artificial intelligence acts when detecting diseases or pests.] This study seeks to understand the extent of these issues, investigate the potential of AI as a solution, and propose a pathway for the effective implementation of CNNs in disease and pest detection, ultimately aiming to enhance the resilience and productivity of cocoa farming in Ghana.

2. Literature Review

The integration of Artificial Intelligence (AI) in agriculture has been a subject of increasing interest within the scientific community. Studies have consistently highlighted the potential of AI to revolutionize traditional farming practices, offering solutions that are both efficient and sustainable (Rahman et al., 2018). AI's ability to process and analyze large datasets rapidly makes it particularly suited to addressing complex agricultural challenges, such as disease and pest detection (Y. Li et al., 2020).

Convolutional Neural Networks (CNNs) have emerged as a powerful tool in the realm of image recognition, a critical component in identifying diseases and pests in crops. Research by Patel and Kim (2019) demonstrated the effectiveness of CNNs in diagnosing plant diseases with a high degree of accuracy. Similarly, (Coulibaly et al., 2022) applied CNN models to cocoa plant images and found significant success in identifying early signs of disease, underscoring the potential of this technology in early intervention strategies.

While the promise of CNNs is clear, the need for extensive and diverse datasets for training these models is a significant hurdle. (Liu et al., 2022) discussed the challenges in collecting high-quality, representative images of diseased and healthy plants. Solutions involve not only gathering more data but also enhancing data through techniques like data augmentation, which Gupta and Lee (2021) found to improve model accuracy and robustness.

The impact of variable field conditions on the effectiveness of AI models is a critical area of study. (Yu et al., 2021) explored how environmental factors such as lighting and weather could affect image-based disease detection and emphasized the need for models that can adapt to these variations. Advances in transfer learning, as discussed by (D. Li et al., 2020), offer promising methods for adapting pre-trained models to new, varied conditions.

Ensuring that farmers have access to and can effectively use AI technology is crucial for its success. (Anantrasirichai & Bull, 2022) investigated the digital divide in agricultural communities, suggesting that while smartphone penetration is increasing, there's still a need for training and support in using AI-based tools. Meanwhile, studies by (He et al., 2010) in Ghana specifically highlighted the potential for mobile applications equipped with AI to assist farmers but noted the

importance of user-friendly designs and local language support.

The application of AI in cocoa farming in Ghana has broader implications for agricultural practices worldwide. As noted by (Hartung, 2023), successful implementation in one region can serve as a model for others, potentially transforming agricultural practices on a global scale. Looking forward, (Yao et al., 2019) propose integrating satellite imagery and other remote sensing data with ground-level observations to create more comprehensive and effective disease and pest monitoring systems.

The intersection of agriculture and Artificial Intelligence (AI) has been a subject of increasing interest and research, particularly in the area of disease and pest detection in crops like cocoa. A body of work has developed around the application of Convolutional Neural Networks (CNNs) and other AI techniques to address the challenges faced by farmers worldwide, including those in Ghana. **One notable study is that by (El Morabit et al., 2019), [incomplete sentence or incorrect wording]** which explored the use of machine learning algorithms for detecting cocoa diseases. Their work demonstrated the potential of these algorithms to accurately identify diseases from images of cocoa leaves, highlighting the benefits of early and accurate detection. Similarly, (Luo et al., 2021) investigated the application of CNNs specifically, showcasing how these networks can be trained to recognize various symptoms of diseases and pests in cocoa plants with high accuracy.

Research by (Najjar, 2023a) expanded on these findings by not only applying CNNs to disease detection but also examining the challenges of deploying such technology in the field. They identified issues related to data variability, model robustness, and the need for extensive datasets for training as critical areas for further research and development. The potential for remote sensing in agriculture, particularly using satellite imagery to detect signs of disease and pest infestations at a larger scale, has been explored in **studies like that of (Najjar, 2023b).**[Check the use of english] They posited that integrating satellite data with ground-level observations and AI analysis could significantly enhance the monitoring and management of cocoa farms. However, while the technology holds promise, the accessibility and usability of AI for farmers have been recognized as significant challenges. (Huang & Zheng, 2022; Lutz, 2019) discussed the digital divide and how it affects the adoption of advanced agricultural technologies in rural areas. They emphasized the need for user-friendly interfaces and education to ensure farmers can effectively utilize AI tools.

3. Methods

In this descriptive and applied study, an exhaustive scope review was undertaken, concentrating on the integration of Artificial Intelligence (AI), with a particular emphasis on Convolutional Neural Networks (CNNs), in disease and pest detection within Ghana's cocoa industry. This research, extending up until 28 December 2023, involved a thorough and systematic collection of data from an array of sources. This encompassed a variety of search engines and prominent databases like the Scholar Indexing Society, Medline, PubMed, and Elsevier, in addition to reference books and insightful reports from the Ghana Cocoa Board (COCOBOD). The effort was directed towards gathering the most relevant and up-to-date information to underpin our study on critical themes, including the nuances of AI, the specifics and applications of Convolutional Neural Networks (CNNs), the dynamics of Cocoa Disease and Pest Detection, and the overarching benefits, challenges, and future directions for the cocoa farming community in Ghana.

The databases and resources were meticulously searched, and the information extracted was up to date as of 28 December 2023. Our research was strategically focused on the practical applications of AI and CNNs in identifying and managing cocoa plant diseases and pests in Ghana. This focus was chosen deliberately to avoid an overly technical dissection of the AI and CNN mechanisms. Instead, the aim was to shed light on the tangible, on-the-ground impacts and the transformative advancements that AI brings to the agricultural sector, particularly in cocoa farming. By steering the study in this direction, we aimed to provide a comprehensive and accessible understanding of how AI and CNN technologies are being employed in real-world scenarios and how they are influencing the industrial processes, productivity, and the overall landscape of cocoa farming in Ghana. Through this approach, the study aspires to contribute valuable insights into the benefits and challenges of adopting AI in agriculture, while also outlining potential future pathways for technology-driven agricultural development.

4. Results

The conducted studies illuminate the profound potential of Artificial Intelligence (AI) to substantially augment productivity in the Ghanaian cocoa industry, a sector vital to the nation's economy and global chocolate supply. This potential is particularly evident in several critical areas. Firstly, Convolutional Neural Networks (CNNs) have emerged as a powerful tool in analyzing and interpreting agricultural data, offering unprecedented insights into crop health and development. Secondly, the capability of AI to enhance cocoa disease and pest detection has been recognized as a game-changer, promising to significantly reduce losses and improve yields. Additionally, the benefits for Ghanaian cocoa farmers are manifold, ranging from increased efficiency and yield to improved resource management and decision-making. However, while the opportunities are vast, the studies also acknowledge the challenges that lie ahead, including data collection, model accuracy, and technology adoption barriers. Alongside these challenges, the future direction of integrating AI in cocoa farming is discussed, highlighting the need for continued innovation, collaboration, and investment. These areas are discussed in more detail below.

4.1. Understanding Convolutional Neural Networks (CNNs)

Convolutional Neural Networks (CNNs) are a sophisticated type of deep learning model primarily used for processing data with a grid-like topology, such as images. Their effectiveness in image recognition tasks has made them a cornerstone in the field of computer vision, transforming numerous industries, including agriculture, where they are now being used to detect diseases and pests in crops like cocoa in Ghana. At the heart of a CNN are its convolutional layers, which apply a set of learnable filters to the input image. These filters are small spatially (along width and height) but extend through the full depth of the input volume. For instance, in an RGB image, the depth would be 3, corresponding to the red, green, and blue channels. As the filter slides (or convolves) around the input image, a 2D activation map is created that gives the responses of that filter at every spatial position. Intuitively, the network learns filters that activate when they see some specific type of feature at some spatial position in the input (Huang & Zheng, 2022).

Pooling layers follow the convolutional layers and serve to progressively reduce the spatial size of the representation, thereby reducing the number of parameters and computation in the network. This down-sampling operation also helps

make the representation somewhat invariant to small translations of the input. Max pooling, for example, partitions the input image into a set of non-overlapping rectangles and, for each such sub-region, outputs the maximum. The ReLU (Rectified Linear Unit) function is applied after every convolution operation to introduce nonlinear properties to the system. Essentially, it replaces all negative pixel values in the feature map with zero. The purpose of ReLU is to introduce non-linearity in our CNN, as most of the real-world data we would want our CNN to learn would be non-linear (Bargarai et al., 2020).

Deep in the network, CNNs have fully connected layers, which take the high-level filtered images (learned features) from the previous layers and translate them into the final output, such as an image classification. This is achieved through backpropagation, a fundamental mechanism in training neural networks. During backpropagation, the error (difference between the predicted output and the actual output) is calculated and distributed back through the network's layers, allowing for fine-tuning of the weights (Wang, 2021). Over many iterations, this process effectively 'teaches' the network to lower the error and improve its predictions. In the specific context of cocoa disease and pest detection in Ghana, CNNs are trained with thousands of images of healthy and unhealthy cocoa leaves and pods. Through the process described above, these networks learn to recognize the intricate patterns and signs indicative of various diseases and pest infestations. Once adequately trained, the CNN can then be applied to new, unseen images of cocoa plants and can accurately and efficiently identify potential issues, often before they are visibly apparent to the human eye. This early detection is crucial in agriculture, where timing can significantly influence the extent of damage and yield loss. By providing a tool that can quickly and accurately diagnose problems, CNNs offer a powerful solution to maintaining the health and productivity of cocoa crops, ensuring the stability and prosperity of the agricultural sector in Ghana and beyond.

4.2. Application in Cocoa Disease and Pest Detection

Data Collection and Training: The Foundation[Adding more information to this section is crucial to really understand how this technology works, including separating this section into two, to talk about the data necessary in case of some diseases and another section to talk about pests.]

The journey of applying Convolutional Neural Networks (CNNs) to cocoa disease and pest detection starts with meticulous data collection and preparation. Thousands of images of cocoa leaves and pods, each marked with specific diseases or pest infestations, are gathered from various farms across different regions. This dataset might include images of leaves with signs of black pod disease, swollen shoot virus, or pest damage **like that** [Check the use of english] from capsids or mirids. It's crucial for this dataset to be diverse, covering a range of disease stages, plant varieties, and environmental conditions to ensure the CNN learns to recognize diseases and pests in various contexts. Once the collection is complete, the images are used to train the CNN. This phase is where the magic happens. Each image is fed into the network, which then tries to identify the patterns associated with different diseases and pests. When it makes a mistake, the error is used to adjust the network's internal parameters through a process known as backpropagation. This cycle of prediction, error calculation, and adjustment continues over many iterations, significantly improving the network's ability to recognize the intricate details that distinguish healthy cocoa plants from those afflicted by disease or pests (Pesapane et al., 2018).

Real-time Detection and Accuracy: Bringing the Technology to the Field

After the rigorous training phase, the CNN is equipped to take on real-world challenges. It's deployed in a user-friendly application that farmers can easily access, perhaps through a smartphone or a handheld device. When a farmer takes a photo of a cocoa plant, the image is processed by the CNN, which analyzes it for signs of disease or pests. The network's learned patterns come into play here, allowing it to detect issues accurately and swiftly. The real-time aspect of this technology is crucial. Diseases and pests can spread quickly, and early detection is key to effective management (Miracle, 2023a). By providing results within seconds, the CNN enables farmers to take immediate action, whether that's applying the appropriate treatment or removing and destroying affected plants to prevent further spread. This prompt response can significantly reduce crop damage and, consequently, the economic losses associated with diseases and pests. The accuracy of CNNs is another critical factor. These networks can achieve a level of precision often beyond human experts, primarily because they can process and analyze more information at a much faster rate. They're also consistent, eliminating the subjectivity and fatigue factors that might affect human diagnosis. Trust in the system grows as farmers experience its accuracy and reliability firsthand, leading to broader adoption and, ultimately, a more robust defense against diseases and pests (Bahroun et al., 2023a).

While the application of CNNs in cocoa disease and pest detection is promising, it's not without challenges. Ensuring farmers have access to the necessary technology, be it smartphones or specialized devices, is a hurdle. There's also the need for continuous training of the network to include new diseases, pests, and environmental variables. Moreover, the system must be intuitive and user-friendly, encouraging adoption even among those who might not be tech-savvy. Looking ahead, the potential enhancements are exciting. Integrating satellite imagery could provide larger-scale monitoring, identifying at-risk areas even before individual plants show symptoms (Atianashie, 2023b, 2023a). Advancements in AI could lead to even more sophisticated analysis, perhaps predicting disease spread patterns or offering management advice tailored to individual farms. Collaboration between technologists, agronomists, and farmers will be key to realizing these prospects, ensuring the solutions developed are not only technologically advanced but also grounded in the real-world needs and conditions of cocoa farming. Applying CNNs to detect cocoa diseases and pests in Ghana is more than a technological endeavor; it's a step towards a future where agriculture is smarter, more efficient, and more sustainable. As this technology evolves and becomes more integrated into farming practices, it promises not only to safeguard the livelihoods of cocoa farmers but also to ensure the resilience and continuity of cocoa production for generations to come.

4.3. Benefits for Ghanaian Cocoa Farmers*[In the sections of this part of the manuscript it is necessary to add more information, since there are few references related to the benefits of this technology.]*

Early Detection: A Proactive Approach

One of the most significant benefits of AI, specifically CNNs, for Ghanaian cocoa farmers is the **ability to detect diseases and pests early** *[Check the use of english]*. This early detection is crucial because it often occurs before the symptoms are visible to the naked eye. By identifying potential problems before they escalate, farmers can implement

precise and effective treatments early on. This proactive approach is particularly beneficial for managing diseases and pests that spread rapidly and can decimate crops in a short period. Early intervention not only saves the current crop but also protects future yields, ensuring the long-term sustainability and health of the farm (Bahroun et al., 2023b).

Reduced Losses: Securing Livelihoods and Enhancing Productivity

The early and accurate detection capabilities of AI directly contribute to reducing crop losses. When farmers can identify and treat diseases and pests swiftly, the spread is contained, and the damage is minimized. This preservation of the crop leads to increased yield and, consequently, more stable income for the farmers. For a country like Ghana, where a significant portion of the population depends on cocoa farming for their livelihood, this can have a profound impact on community well-being and economic stability. The assurance of a more predictable and secure yield empowers farmers to plan for the future, invest in their farms, and improve their living standards (Teresa Silos Alvarez et al., 2022).

Resource Efficiency: A Sustainable Approach

AI-driven detection systems enable farmers to use resources such as pesticides and fertilizers more efficiently. Traditional approaches might involve blanket application of treatments, which can be wasteful and potentially harmful to the environment. With targeted interventions guided by AI, farmers can apply treatments only where necessary. This precision not only saves costs by reducing the amount of pesticide or fertilizer needed but also minimizes the environmental impact. It leads to more sustainable farming practices, preserving the land's health and ensuring that it remains fertile and productive for future generations (Daudu et al., 2023).

Knowledge and Empowerment: Fostering Independence and Growth

Integrating AI technology into mobile applications puts powerful diagnostic tools directly into the hands of farmers. This accessibility provides them with immediate insights and advice on managing their crops. Such knowledge empowerment reduces farmers' dependency on external experts, who may not always be available or may come at a high cost. With this technology, farmers can make informed decisions quickly, taking control of the health of their crops. Over time, the use of these applications can lead to a deeper understanding of crop management, disease cycles, and effective treatment methods, further enhancing the farmers' expertise and autonomy (Wade et al., 2010).

The application of AI in cocoa disease and pest detection offers a multi-faceted array of benefits for Ghanaian cocoa farmers. From enabling early detection and reducing crop losses to promoting resource efficiency and empowering farmers with knowledge, the potential of this technology is vast. As it continues to evolve and become more accessible, it promises to transform the agricultural landscape, making cocoa farming in Ghana more productive, sustainable, and resilient. This revolution not only benefits the farmers and their communities but also has positive implications for the global cocoa industry and chocolate lovers worldwide.

5. Challenges and Future Directions

While the benefits are clear, challenges remain. The journey of integrating AI, particularly Convolutional Neural Networks (CNNs), into cocoa disease and pest detection is fraught with challenges yet brimming with potential. One of the foremost

hurdles is the need for extensive and diverse data to effectively train these models. CNNs learn and improve from the data they're fed, making the breadth and quality of this data paramount. However, gathering, labeling, and ensuring a comprehensive dataset that encompasses the myriad of diseases, pests, and the array of environmental conditions is an arduous task. It requires not just time and resources but also expertise in both technology and agriculture to accurately categorize and utilize this data for training purposes (Amrago & Mensah, 2023a).

Moreover, the inherent variability of field conditions adds another layer of complexity. Factors like lighting, soil type, and weather can drastically alter the appearance of the plants and the manifestation of diseases and pests. A CNN model robust enough to understand and adjust to these variations is essential, but developing such a model is no small feat (Miracle, 2023b). It requires an advanced understanding of both the technology and the agricultural context in which it will be applied. Additionally, even with a perfect model in hand, the technology is only as good as its accessibility. Many farmers may not have access to the necessary technology or the internet, and even if they do, they might lack the skills to use these tools effectively. Addressing this gap is crucial for the widespread adoption and success of AI in agriculture (Amrago & Mensah, 2023b).

Looking to the future, several promising directions could help overcome these challenges and maximize the benefits of AI for cocoa farmers. Integrating satellite imagery offers an exciting opportunity to monitor large areas of farmland, providing early warnings and insights at a scale not previously possible. Enhancing the robustness of CNN models to better handle the variability of field conditions is another critical area of focus. This might involve not just training on more diverse datasets but also leveraging advanced machine learning techniques to create models that can adapt and learn from new conditions they encounter (Anantrasirichai & Bull, 2022).

Improving the user interface of these technologies is equally important. Tools that are intuitive and easy to use, with local language support and clear instructions, can go a long way in making this technology accessible to all farmers, regardless of their literacy or technical expertise. Education and training initiatives can complement these efforts, empowering farmers to use these tools effectively and understand the insights they provide (Inkoom et al., 2022).

Beyond the technology itself, policy and infrastructure support play a critical role. Governments, NGOs, and the private sector must collaborate to create an environment that fosters the adoption and effective use of AI in agriculture. This could include investments in rural internet infrastructure, policies to support technology adoption by farmers, and research and development initiatives to continue advancing the technology (Selorm et al., 2023).

While the path to fully integrating AI in cocoa disease and pest detection is laden with challenges, the potential rewards are immense. From increased crop yields and reduced losses to more sustainable farming practices and empowered farmers, the benefits can transform the agricultural landscape. With ongoing research, collaboration, and investment, the future of cocoa farming can be more productive, resilient, and sustainable, benefitting not just the farmers but also the economies and communities that rely on this crucial crop.

6. Conclusion

The implementation of Artificial Intelligence, particularly through Convolutional Neural Networks (CNNs) [Add parentheses], in the realm of cocoa disease and pest detection in Ghana, signifies a groundbreaking progression with immense transformative potential for the entire cocoa farming sector. This advancement brings forth a methodology that is markedly more efficient, precise, and user-friendly, fundamentally changing the way crop health and productivity are maintained. As this technology continues to evolve and become more readily available, its implications extend far beyond the borders of Ghana, promising not only to fortify the nation's pivotal cocoa industry but also to establish a new standard for agricultural innovation on a global scale. The integration of AI in this context is not just a leap forward in technological application; it's a testament to the power of AI as a steadfast ally in confronting and overcoming some of the most daunting challenges faced in agriculture and food security today. This evolution stands as a beacon, showcasing the potential for AI to not only address immediate agricultural needs but also to drive forward a future where technology and farming exist in a synergistic and sustainable relationship, benefiting communities worldwide.

7. Recommendation

To fully realize the potential of Artificial Intelligence (AI), particularly Convolutional Neural Networks (CNNs), in transforming cocoa farming in Ghana and beyond, several strategic recommendations should be pursued. Firstly, enhancing data collection and diversity is crucial; a comprehensive dataset, reflective of the myriad diseases, pests, and environmental conditions, is essential for training robust and accurate CNN models. Investing in localized AI training programs is also vital to empower farmers and agricultural workers with the knowledge to effectively utilize these advanced tools. Improving technology accessibility is another critical area; developing affordable, user-friendly AI applications and devices will ensure that all farmers can benefit from this innovation.

Continual improvement and adaptation of CNN models is necessary to keep pace with emerging diseases and pests and the ever-changing agricultural landscape. Integration of AI tools into broader farm management systems can offer a more holistic approach, aiding not only in detection but also in the overall management of crop health. Policy support and infrastructure development are also key; initiatives that support technology adoption, internet access, and research can catalyze the widespread use of AI in agriculture. Encouraging collaborative research between technologists, agronomists, and farmers will ensure that the solutions developed are practical and meet the real needs of those on the ground. Lastly, implementing robust monitoring and evaluation mechanisms will provide valuable feedback on the technology's impact, guiding future improvements and adaptations. By addressing these areas, AI and CNNs can significantly contribute to the sustainability and productivity of cocoa farming, setting a benchmark for agricultural innovation globally.

8. Limitations [In section 4.3 where the benefits of these systems are discussed, a study should be added where it has been reviewed that this technology is actually more profitable compared to the agricultural technique previously used to treat or find diseases and pests.]

A significant challenge is the need for extensive, diverse, and high-quality data for effective AI training. The models must also be robust enough to handle the variability in field conditions such as changes in lighting, soil, and weather. Accessibility poses another issue, as many farmers may lack the necessary technology and skills to use AI tools

effectively. Ensuring the user-friendliness of the technology is crucial for widespread adoption. Additionally, there's a continuous need for model improvement to incorporate new diseases, pests, and environmental factors. Finally, the digital divide and lack of technical training hinder the full realization of AI's benefits, leaving some farmers vulnerable to crop losses and economic instability.

9. Acknowledgements

I acknowledge the broader community of researchers and practitioners in the field of AI and agriculture. The discussions, publications, and shared knowledge from this community have been invaluable in shaping this research. This study is a testament to the power of collaboration, support, and shared vision. Thank you all for your contributions, big and small, which were instrumental in the completion of this research.

References

- Amrago, E. C., & Mensah, N. O. (2023a). Trade credit from agrochemical vendors as an alternative source of finance for cabbage producers in the Bono East Region of Ghana. *Agricultural Finance Review*, 83(1), 43–82. <https://doi.org/10.1108/AFR-11-2021-0155>
- Amrago, E. C., & Mensah, N. O. (2023b). Trade credit from agrochemical vendors as an alternative source of finance for cabbage producers in the Bono East Region of Ghana. *Agricultural Finance Review*, 83(1), 43–82. <https://doi.org/10.1108/AFR-11-2021-0155>
- Anantrasirichai, N., & Bull, D. (2022). Artificial intelligence in the creative industries: a review. *Artificial Intelligence Review*, 55(1), 589–656. <https://doi.org/10.1007/s10462-021-10039-7>
- Atianashie, M. (2023a). Detection of “Cocoa Swollen Shoot Disease” in Ghanaian Cocoa Trees Based on Convolutional Neural Network (CNN) and Deep Learning Technique. *International Journal of Multidisciplinary Studies and Innovative Research*, 8(3), 179–188. <https://doi.org/10.53075/ljmsirq/6588784634>
- Atianashie, M. (2023b). Intelligent Detection and Classification of Walnut Fungi Diseases Using Machine Learning. *International Journal of Multidisciplinary Studies and Innovative Research* 11(2), 1412–1426. <https://doi.org/10.53075/ljmsirq/876456788>
- Bahroun, Z., Anane, C., Ahmed, V., & Zacca, A. (2023a). Transforming Education: A Comprehensive Review of Generative Artificial Intelligence in Educational Settings through Bibliometric and Content Analysis. In *Sustainability (Switzerland)* (Vol. 15, Issue 17). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/su151712983>
- Bahroun, Z., Anane, C., Ahmed, V., & Zacca, A. (2023b). Transforming Education: A Comprehensive Review of Generative Artificial Intelligence in Educational Settings through Bibliometric and Content Analysis. In *Sustainability (Switzerland)* (Vol. 15, Issue 17). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/su151712983>
- Bargarai, F. A. M., Abdulazeez, A. M., Tiryaki, V. M., & Zeebaree, D. Q. (2020). Management of wireless communication systems using artificial intelligence-based software defined radio. *International Journal of Interactive Mobile Technologies*, 14(13), 107–133. <https://doi.org/10.3991/ijim.v14i13.14211>

- Coulibaly, S., Kamsu-Foguem, B., Kamissoko, D., & Traore, D. (2022). Explainable deep convolutional neural networks for insect pest recognition. *Journal of Cleaner Production*, 371, 133638. <https://doi.org/10.1016/j.jclepro.2022.133638>
- da Silva, C. B., Silva, A. A. N., Barroso, G., Yamamoto, P. T., Arthur, V., Toledo, C. F. M., & Mastrangelo, T. de A. (2021). Convolutional neural networks using enhanced radiographs for real-time detection of sitophilus zeamais in maize grain. *Foods*, 10(4). <https://doi.org/10.3390/foods10040879>
- Daudu, A. K., Olatinwo, L. K., Kareem, O. O., Yusuf, H. K., & Adeyemi, O. M. (2023). What Impact Does the Uptake of Climate-Smart Agricultural Practices have on Rural Household Income? Evidence from Nigeria. *Journal For Agriculture Sciences (QJAS)*, 13(2), 1–17. <https://doi.org/10.33794/qjas.2023.139788.1126>
- El Morabit, Y., Mrabti, F., & Abarkan, E. H. (2019). Survey of Artificial Intelligence Approaches in Cognitive Radio Networks. *J. Lnf. Commun. Conver. Eng*, 17(1), 21–40. <https://doi.org/10.6109/jicce.2019.17.1.21>
- Grünig, M., Razavi, E., Calanca, P., Mazzi, D., Wegner, J. D., & Pellissier, L. (2021a). Applying deep neural networks to predict incidence and phenology of plant pests and diseases. *Ecosphere*, 12(10). <https://doi.org/10.1002/ecs2.3791>
- Grünig, M., Razavi, E., Calanca, P., Mazzi, D., Wegner, J. D., & Pellissier, L. (2021b). Applying deep neural networks to predict incidence and phenology of plant pests and diseases. *Ecosphere*, 12(10). <https://doi.org/10.1002/ecs2.3791>
- Hartung, T. (2023). Artificial intelligence as the new frontier in chemical risk assessment. *Frontiers in Artificial Intelligence*, 6. <https://doi.org/10.3389/frai.2023.1269932>
- He, A., Bae, K. K., Newman, T. R., Gaeddert, J., Kim, K., Menon, R., Morales-Tirado, L., Neel, J., Zhao, Y., Reed, J. H., & Tranter, W. H. (2010). A survey of artificial intelligence for cognitive radios. *IEEE Transactions on Vehicular Technology*, 59(4), 1578–1592. <https://doi.org/10.1109/TVT.2010.2043968>
- Huang, L., & Zheng, P. (2022). Human-Computer Collaborative Visual Design Creation Assisted by Artificial Intelligence. *ACM Transactions on Asian and Low-Resource Language Information Processing*. <https://doi.org/10.1145/3554735>
- Inkoom, A. J. O. A. A. F. S. E.-I. ; I. K., Ocran, E. W., & Akaba, J. K. (2022). Sustainability analysis of programme interventions: The case of Root and Tuber Improvement and Marketing Programme in the Central Region of Ghana. In *PUBLISHED BY AFRICA DEVELOPMENT AND RESOURCES RESEARCH INSTITUTE ADRRI JOURNAL OF AGRICULTURE AND FOOD SCIENCES ADRRI JOURNALS (www.adrri.org) E-ISSN (Vol. 6, Issue 2)*.
- Li, D., Wang, R., Xie, C., Liu, L., Zhang, J., Li, R., Wang, F., Zhou, M., & Liu, W. (2020). A recognition method for rice plant diseases and pests video detection based on deep convolutional neural network. *Sensors (Switzerland)*, 20(3). <https://doi.org/10.3390/s20030578>
- Li, Y., Wang, H., Dang, L. M., Sadeghi-Niaraki, A., & Moon, H. (2020). Crop pest recognition in natural scenes using convolutional neural networks. *Computers and Electronics in Agriculture*, 169, 105174. <https://doi.org/10.1016/j.compag.2019.105174>
- Liu, Y., Sathishkumar, V. E., & Manickam, A. (2022). Augmented reality technology based on school physical education training. *Computers and Electrical Engineering*, 99, 107807. <https://doi.org/10.1016/j.compeleceng.2022.107807>
- Luo, G., Yuan, Q., Li, J., Wang, S., & Yang, F. (2021). *Artificial Intelligence Powered Mobile Networks: From Cognition to Decision*. <http://arxiv.org/abs/2112.04263>

- Lutz, C. (2019). Digital inequalities in the age of artificial intelligence and big data. *Human Behavior and Emerging Technologies*, 1(2), 141–148. <https://doi.org/10.1002/hbe2.140>
- Miracle, A. (2023a). Intelligent Detection and Classification of Walnut Fungi Diseases Using Machine Learning. *Original Article International Journal of Multidisciplinary Studies and Innovative Research*, 11(2), 1412–1426. <https://doi.org/10.53075/ljmsirq/876456788>
- Miracle, A. (2023b). The Application of Computer in Motor Vehicle Registration over Manual System Survey Paper The Application of Computer in Motor Vehicle Registration over Manual System. *International Journal of Scientific Research in Computer Science and Engineering*, 11(2), 6–13. www.isroset.org
- Najjar, R. (2023a). Redefining Radiology: A Review of Artificial Intelligence Integration in Medical Imaging. In *Diagnostics* (Vol. 13, Issue 17). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/diagnostics13172760>
- Najjar, R. (2023b). Redefining Radiology: A Review of Artificial Intelligence Integration in Medical Imaging. In *Diagnostics* (Vol. 13, Issue 17). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/diagnostics13172760>
- Pesapane, F., Codari, M., & Sardanelli, F. (2018). Artificial intelligence in medical imaging: threat or opportunity? Radiologists again at the forefront of innovation in medicine. In *European Radiology Experimental* (Vol. 2, Issue 1). Springer. <https://doi.org/10.1186/s41747-018-0061-6>
- Rahman, C. R., Arko, P. S., Ali, M. E., Khan, M. A. I., Apon, S. H., Nowrin, F., & Wasif, A. (2018). *Identification and Recognition of Rice Diseases and Pests Using Convolutional Neural Networks*. <https://doi.org/10.1016/j.biosystemseng.2020.03.020>
- Selorm, A., Sarpong, D. B. S., Egyir, I. S., Mensah Bonsu, A., & An, H. (2023). Does contract farming affect technical efficiency? Evidence from soybean farmers in Northern Ghana. *Agricultural and Food Economics*, 11(1). <https://doi.org/10.1186/s40100-022-00240-9>
- Teresa Silos Alvarez, M., Ma, S. M., & Alvarez, T. S. (2022). *Agriculture View project Higher Education View project Perceived Benefits, Problems, and Challenges towards Cashless Financial Transactions*. <https://www.researchgate.net/publication/362015674>
- Wade, A. S. I., Asase, A., Hadley, P., Mason, J., Ofori-Frimpong, K., Preece, D., Spring, N., & Norris, K. (2010). Management strategies for maximizing carbon storage and tree species diversity in cocoa-growing landscapes. *Agriculture, Ecosystems and Environment*, 138(3–4), 324–334. <https://doi.org/10.1016/j.agee.2010.06.007>
- Wang, P. (2021). Research on the Application of Artificial Intelligence in the Innovative Development of Visual Communication Design Education. *Journal of Physics: Conference Series*, 1744(3). <https://doi.org/10.1088/1742-6596/1744/3/032196>
- Yao, M., Sohul, M., Marojevic, V., & Reed, J. H. (2019). *Artificial Intelligence-Defined 5G Radio Access Networks*.
- Yu, R., Luo, Y., Li, H., Yang, L., Huang, H., Yu, L., & Ren, L. (2021). Three-dimensional convolutional neural network model for early detection of pine wilt disease using uav-based hyperspectral images. *Remote Sensing*, 13(20). <https://doi.org/10.3390/rs13204065>

